



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com



[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

LFNG monoclonal antibody (M22), clone 2G9

Catalog # : H00003955-M22

規格 : [100 ug]

List All

Specification	Application Image
Product Description: Mouse monoclonal antibody raised against a full length recombinant LFNG.	ELISA
Immunogen: LFNG (NP_002295, 1 a.a. ~ 125 a.a) full length recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.	
Sequence: MTPGRCCLAADIQVETFFIFTDGEDEALARHTGNVVITNCSAAHSRQALSC KMAVEYDRFIESGRKWFCHVDDDNVNLRALLRLLASYPHTRDVYVGKP SLDRPIQAMERVSENKVRPVHFWFAT*	
Host: Mouse	
Reactivity: Human	
Isotype: IgG2a Kappa	
Quality Control Testing: Antibody Reactive Against Recombinant Protein.	
Storage Buffer: In 1x PBS, pH 7.4	
Storage Instruction: Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.	
MSDS:  Download	
Datasheet:  Download	
Applications	
ELISA	
Gene Information	
Entrez GeneID: 3955	
GeneBank Accession#: NM_002304	
Protein Accession#: NP_002295	
Gene Name: LFNG	
Gene Alias: SCDO3	
Gene Description: LFNG O-fucosylpeptide 3-beta-N-acetylglucosaminyltransferase	
Omim ID: 602576 , 609813	

Gene Ontology: [Hyperlink](#)

Gene Summary: This gene encodes a member of the glycosyltransferase superfamily. The encoded protein is a single-pass type II Golgi membrane protein that functions as a fucose-specific glycosyltransferase, adding an N-acetylglucosamine to the fucose residue of a group of signaling receptors involved in regulating cell fate decisions during development. Mutations in this gene have been associated with autosomal recessive spondylocostal dysostosis 3. Alternatively spliced transcript variants that encode different isoforms have been described, however, not all variants have been fully characterized. [provided by RefSeq]

Other Designations: lunatic fringe

Gene Pathway

[Notch signaling pathway](#)

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.