



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 



LMO2 purified MaxPab rabbit polyclonal antibody (D01P) MaxPab®

Catalog # : H00004005-D01P

規格 : [100 ug]


[List All](#)

Specification

Product Description:	Rabbit polyclonal antibody raised against a full-length human LMO2 protein.
Immunogen:	LMO2 (NP_005565.1, 1 a.a. ~ 158 a.a) full-length human protein.
Sequence:	MSSAIERKSLDPSEEPVDEVLQIPPSLLTCGGCQQNIGDRYFLKAIDQYW HEDCLSCDLGCGRLGEVGRRLYYKLGKLCRRDYLRLLFGQDGLCASC DKRIRAYEMTMRVKDKVYHLECFKCAACQKHFVCGDRYLLINSDIVCEQD IYEWTKINGMI
Host:	Rabbit
Reactivity:	Human
Quality Control Testing:	Antibody reactive against mammalian transfected lysate.
Storage Buffer:	In 1x PBS, pH 7.4
Storage Instruction:	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.
MSDS:	 Download
Datasheet:	 Download


Application Image

Western Blot (Transfected lysate)



Applications

Western Blot (Transfected lysate)



Western Blot analysis of LMO2 expression in transfected 293T cell line ([H00004005-T01](#)) by LMO2 MaxPab polyclonal antibody.

Lane 1: LMO2 transfected lysate(18.40 KDa).
Lane 2: Non-transfected lysate.

 [Protocol Download](#)

Gene Information

Entrez GeneID: [4005](#)

**GeneBank
Accession#:** [NM_005574.2](#)

**Protein
Accession#:** [NP_005565.1](#)

Gene Name: LMO2

Gene Alias: RBTN2,RBTNL1,RHOM2,TTG2

**Gene
Description:** LIM domain only 2 (rhombotin-like 1)

Omim ID: [180385](#)

Gene Ontology: [Hyperlink](#)

Gene Summary: LMO2 encodes a cysteine-rich, two LIM-domain protein that is required for yolk sac erythropoiesis. The LMO2 protein has a central and crucial role in hematopoietic development and is highly conserved. The LMO2 transcription start site is located approximately 25 kb downstream from the 11p13 T-cell translocation cluster (11p13 ttc), where a number T-cell acute lymphoblastic leukemia-specific translocations occur. Alternative splicing results in multiple transcript variants encoding different isoforms

**Other
Designations:** LIM domain only 2,T-cell translocation gene 2,rhombotin 2,rhombotin-like 1

Related Disease

[Genetic Predisposition to Disease](#) [Hematologic Diseases](#) [Hodgkin Disease](#)
[Lung Neoplasms](#) [Lymphoma, B-Cell](#) [Lymphoma, Follicular](#)
[Lymphoma, Large B-Cell, Diffuse](#) [Lymphoproliferative Disorders](#) [Occupational Diseases](#)
[Pulmonary Disease, Chronic Obstructive](#) [Urinary Bladder Neoplasms](#)
[Waldenstrom Macroglobulinemia](#) [Werner syndrome](#)

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.