



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Datasheet

MAD2L1 (Human) Recombinant Protein (P01)

Catalog Number: H00004085-P01

Regulation Status: For research use only (RUO)

Product Description: Human MAD2L1 full-length ORF (AAH00356, 1 a.a. - 205 a.a.) recombinant protein with GST-tag at N-terminal.

Sequence:

MALQLSREQGITLRGSAEIVAEFFSFGINSILYQIRGIYP
SETFTRVQKYGLTLLVTTDLELIKYLNNVVEQLKDWLY
KCSVQKLVVVISNIESGEVLERWQFDIECDKAKDDSA
PREKSQKAIQDEIRSVIRQITATVTFLPLEVSCSFDLLI
YTDKDLVPEKWEESGPQFITNSEEVRLRSFTTTIHKV
NSMVAYKIPVND

Host: Wheat Germ (in vitro)

Theoretical MW (kDa): 48.29

Applications: AP, Array, ELISA, WB-Re
(See our web site product page for detailed applications information)

Protocols: See our web site at
<http://www.abnova.com/support/protocols.asp> or product page for detailed protocols

Preparation Method: [in vitro wheat germ expression system](#)

Purification: Glutathione Sepharose 4 Fast Flow

Storage Buffer: 50 mM Tris-HCl, 10 mM reduced Glutathione, pH=8.0 in the elution buffer.

Storage Instruction: Store at -80°C. Aliquot to avoid repeated freezing and thawing.

Entrez GeneID: 4085

Gene Symbol: MAD2L1

Gene Alias: HSMAD2, MAD2

Gene Summary: MAD2L1 is a component of the mitotic spindle assembly checkpoint that prevents the onset of

anaphase until all chromosomes are properly aligned at the metaphase plate. MAD2L1 is related to the MAD2L2 gene located on chromosome 1. A MAD2 pseudogene has been mapped to chromosome 14. [provided by RefSeq]