

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in





SMAD1 polyclonal antibody (A01)

Catalog #: H00004086-A01 規格:[50 uL]

List All

Specification		Application Image
Product Description:	Mouse polyclonal antibody raised against a partial recombinant SMAD1.	Western Blot (Recombinant protein)
Immunogen:	SMAD1 (NP_005891, 1 a.a. ~ 110 a.a) partial recombinant protein with GST tag.	ELISA
Sequence:	MNVTSLFSFTSPAVKRLLGWKQGDEEEKWAEKAVDALVKKLKKKKGAM EELEKALSCPGQPSNCVTIPRSLDGRLQVSHRKGLPHVIYCRVWRWPDL QSHHELKPLECCE	
Host:	Mouse	
Reactivity:	Human	
Quality Control Testing:	Antibody Reactive Against Recombinant Protein. 175- 83- 62- 47.5-	
Storage Buffer:	25- Western Blot detection against Immunogen (38.21 KDa) . 50 % glycerol	
Storage Instruction:	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.	
MSDS:	<u>Download</u>	
Datasheet:	<u>Download</u>	
Applications		
Western Blot (R	ecombinant protein)	
ELISA		
Gene Information	on	
Entrez GeneID:	4086	
GeneBank	<u>NM_005900</u>	

Page 1 of 2 2016/5/21

Protein

NP 005891

Accession#:

Gene Name:

SMAD1

Gene Alias:

BSP1,JV4-1,JV41,MADH1,MADR1

Gene

SMAD family member 1

Description:

Omim ID:

601595

Gene Ontology: Hyperlink

Gene Summary: The protein encoded by this gene belongs to the SMAD, a family of proteins similar to the gene products of the Drosophila gene 'mothers against decapentaplegic' (Mad) and the C. elegans gene Sma. SMAD proteins are signal transducers and transcriptional modulators that mediate multiple signaling pathways. This protein mediates the signals of the bone morphogenetic proteins (BMPs), which are involved in a range of biological activities including cell growth, apoptosis, morphogenesis, development and immune responses. In response to BMP ligands, this protein can be phosphorylated and activated by the BMP receptor kinase. The phosphorylated form of this protein forms a complex with SMAD4, which is important for its function in the transcription regulation. This protein is a target for SMAD-specific E3 ubiquitin ligases, such as SMURF1 and SMURF2, and undergoes ubiquitination and proteasome-mediated degradation. Alternatively spliced transcript variants encoding the same protein have been observed. [provided by RefSeq

Other **Designations:** MAD, mothers against decapentaplegic homolog 1, Mad-related protein 1,SMAD, mothers against DPP homolog 1,Sma- and Mad-related protein 1,TGF-beta signaling protein 1,mothers against DPP homolog 1,transforming growth factor-beta signaling protein 1

Gene Pathway

TGF-beta signaling pathway

Related Disease

Cleft Lip Cleft Palate Diabetes Mellitus, Type 1 Diabetic Nephropathies Genetic Predisposition to Disease Head and Neck Neoplasms Hemochromatosis <u>Hypertension, Pulmonary Kidney Failure, Chronic Neoplasm Recurrence, Local</u> Neoplasms, Second Primary Obesity Ovarian Failure, Premature Polycystic Ovary Syndrome Puberty, Delayed Puberty, Precocious Thrombophilia Tobacco Use Disorder

服務條款 | 隱私權政策 | 著作及商標 | 網站地圖

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.

Page 2 of 2 2016/5/21