



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

MAGEA1 polyclonal antibody (A01)

Catalog # : H00004100-A01

規格 : [50 uL]

List All

Specification

Product Description: Mouse polyclonal antibody raised against a partial recombinant MAGEA1.


Immunogen: MAGEA1 (NP_004979, 98 a.a. ~ 171 a.a) partial recombinant protein with GST tag.

Sequence: FRAVITKKVADLVGFLLLLKYRAREPVTKAEMLESVIKNYKHCPEIFGKAS
ESLQLVFGIDVKEADPTGHSYVL

Host: Mouse

Reactivity: Human

Quality Control Testing: Antibody Reactive Against Recombinant Protein.



Western Blot detection against Immunogen (34.25 KDa) .

Storage Buffer: 50 % glycerol

Storage Instruction: Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

MSDS: [Download](#)

Datasheet: [Download](#)

Applications

Western Blot (Recombinant protein)

[Protocol Download](#)

ELISA

Gene Information

Entrez GeneID: [4100](#)

GeneBank Accession#: [NM_004988](#)

Application Image

Western Blot (Recombinant protein)

ELISA

Protein [NP_004979](#)

Accession#:

Gene Name: MAGEA1

Gene Alias: MAGE1,MGC9326

Gene Description: melanoma antigen family A, 1 (directs expression of antigen MZ2-E)

Omim ID: [300016](#)

Gene Ontology: [Hyperlink](#)

Gene Summary: This gene is a member of the MAGEA gene family. The members of this family encode proteins with 50 to 80% sequence identity to each other. The promoters and first exons of the MAGEA genes show considerable variability, suggesting that the existence of this gene family enables the same function to be expressed under different transcriptional controls. The MAGEA genes are clustered at chromosomal location Xq28. They have been implicated in some hereditary disorders, such as dyskeratosis congenita. [provided by RefSeq]

Other Designations: OTTHUMP00000025911,melanoma antigen MAGE-1,melanoma antigen family A 1,melanoma antigen family A, 1,melanoma-associated antigen 1,melanoma-associated antigen MZ2-E

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.