

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in





Gene Ontology: Hyperlink

MCM4 (Human) Matched Antibody Pair

Catalog #: H00004173-AP22 規格:[1 Set]

List All

Product	This antibody pair set comes with matched antibody pair to detect and
Description:	quantify protein level of human MCM4.
Reactivity:	Human
Quality Control Testing:	Standard curve using recombinant protein (H00004173-P01) as an analyte.
	1.0 0.8 0.6 0.4 0.2 0.0 0.01 0.1 1 10 100 1000 Recombinant Protein Concentration (ng/ml) Sandwich ELISA detection sensitivity ranging from 3 ng/ml to 100 ng/ml.
Supplied Product:	Antibody pair set content: 1. Capture antibody: rabbit MaxPab® affinity purified polyclonal anti-MCM4 (100 ug) 2. Detection antibody: mouse purified polyclonal anti-MCM4 (20 ug) *Reagents are sufficient for at least 1-2 x 96 well plates using recommended protocols.
Storage Instruction:	Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze thaw cycle. Reagents should be returned to -20°C storage immediately after use.
MSDS:	<u>Download</u>
Applications	
ELISA Pair (Reco	ombinant protein)
	Protocol Downloa
Gene Information	on
Entrez GeneID:	4173
Gene Name:	MCM4
Gene Alias:	CDC21,CDC54,MGC33310,P1-CDC21,hCdc21
Gene Description:	minichromosome maintenance complex component 4
Omim ID:	602638
0	

Application Image

ELISA Pair (Recombinant protein)

Gene Summary: The protein encoded by this gene is one of the highly conserved minichromosome maintenance proteins (MCM) that are essential for the initiation of eukaryotic genome replication. The hexameric protein complex formed by MCM proteins is a key component of the prereplication complex (pre_RC) and may be involved in the formation of replication forks and in the recruitment of other DNA replication related proteins. The MCM complex consisting of this protein and MCM2, 6 and 7 proteins possesses DNA helicase activity, and may act as a DNA unwinding enzyme. The phosphorylation of this protein by CDC2 kinase reduces the DNA helicase activity and chromatin binding of the MCM complex. This gene is mapped to a region on the chromosome 8 headto-head next to the PRKDC/DNA-PK, a DNA-activated protein kinase involved in the repair of DNA double-strand breaks. Alternatively spliced transcript variants encoding the same protein have been reported. [provided by RefSeq

Other Designations: DNA replication licensing factor MCM4,MCM4 minichromosome maintenance deficient 4, homolog of S. pombe cell devision cycle 21, minichromosome maintenance deficient 4

Gene Pathway

Cell cycle DNA replication

Related Disease

Genetic Predisposition to Disease Hematologic Diseases Occupational Diseases

服務條款 | 隱私權政策 | 著作及商標 | 網站地圖

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.

Page 2 of 2 2016/5/21