



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 



MECP2 purified MaxPab rabbit polyclonal antibody (D01P) MaxPab®

Catalog # : H00004204-D01P

規格 : [100 ug]


[List All](#)

Specification


Product Description:	Rabbit polyclonal antibody raised against a full-length human MECP2 protein.
Immunogen:	MECP2 (NP_004983.1, 1 a.a. ~ 486 a.a) full-length human protein.
Sequence:	MVAGMLGLREEKSEDQLQGLKDKPLKFKKVKKDKKKEEKEGKHEPVQP SAHSAEPAEAGKAETSEGSGSAPAVPEASASPKQRRSIIRDRGPMYDD PTLPEGWTRKLRKRSGRSAGKYDVYLINPQGKAFRSKVELIAYFEKVG DTSLDPNDFDFTVTGRGSPSRREQPPKPKSPKAPGTGRGRGRPKG SGTTRPKAATSEGVQVKRVLEKSPGKLLVKMPFQTSPPGGKAEGGGATT STQVMVIKRPGKRKRAEADPQAIPKGRKPGSVVAAAAEAKKKAVKE SSIRSVQETVLPKRRKTRRETVSIEVKEVVKPLLVSTLGEKSGKGLKTCKS PGRKSKESSPKGRSSASSPPKKEHHHHHHHSESPKAPVPLLPLPPPPP EPESSEDPTSPPEPQDLSSSVCKEEKMPRGGSLSDGCPKEPAKTQPA VATAATAAEKYKHRGEGERKDIVSSMPRPNREEPVDSRTPVTERVS
Host:	Rabbit
Reactivity:	Human, Mouse
Quality Control Testing:	Antibody reactive against mammalian transfected lysate.
Storage Buffer:	In 1x PBS, pH 7.4
Storage Instruction:	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.
MSDS:	 Download
Datasheet:	 Download

Applications

Western Blot (Tissue lysate)




MECP2 MaxPab rabbit polyclonal antibody. Western Blot analysis of MECP2 expression in human kidney.

 [Protocol Download](#)


Western Blot (Tissue lysate)

Application Image


Western Blot (Tissue lysate)




Western Blot (Tissue lysate)




Western Blot (Cell lysate)



Western Blot (Transfected lysate)






MECP2 MaxPab rabbit polyclonal antibody. Western Blot analysis of MECP2 expression in mouse liver.

[Protocol Download](#)


Western Blot (Cell lysate)



MECP2 MaxPab rabbit polyclonal antibody. Western Blot analysis of MECP2 expression in MCF-7.

[Protocol Download](#)

Western Blot (Transfected lysate)



Western Blot analysis of MECP2 expression in transfected 293T cell line ([H00004204-T01](#)) by MECP2 MaxPab polyclonal antibody.

Lane 1: MECP2 transfected lysate(52.40 KDa).

Lane 2: Non-transfected lysate.

[Protocol Download](#)

Gene Information

Entrez GeneID: [4204](#)

GeneBank [NM_004992.2](#)

Accession#:

Protein [NP_004983.1](#)

Accession#:

Gene Name: MECP2

Gene Alias: AUTSX3,DKFZp686A24160,MRX16,MRX79,MRXS13,MRXSL,PPMX,RTS,RTT

Gene Description: methyl CpG binding protein 2 (Rett syndrome)

Omim ID: [105830](#), [300005](#), [300055](#), [300260](#), [300496](#), [300673](#), [312750](#)

Gene Ontology: [Hyperlink](#)

Gene Summary: DNA methylation is the major modification of eukaryotic genomes and plays an essential role in mammalian development. Human proteins MECP2, MBD1, MBD2, MBD3, and MBD4 comprise a family of nuclear proteins related by the presence in each of a methyl-CpG binding domain (MBD). Each of these proteins, with the exception of MBD3, is capable of binding specifically to methylated DNA. MECP2, MBD1 and MBD2 can also repress transcription from methylated gene promoters. In contrast to other MBD family members, MECP2 is X-linked and subject to X inactivation. MECP2 is dispensible in stem cells, but is essential for embryonic development. MECP2 gene mutations are the cause of most cases of Rett syndrome, a progressive neurologic developmental disorder and one of the most common causes of mental retardation in females. [provided by RefSeq]

Other Designations: OTTHUMP00000026021,methyl CpG binding protein 2

Related Disease

[Alzheimer disease](#) [Angelman Syndrome](#) [Angelman syndrome](#)
[Attention Deficit Disorder with Hyperactivity](#) [Autistic Disorder](#) [Brain Diseases](#)
[Cardiovascular Diseases](#) [Child Development Disorders, Pervasive](#)
[Chromosome Aberrations](#) [Cognition Disorders](#) [Developmental Disabilities](#)
[Diabetes Mellitus, Type 2](#) [Disease Progression](#) [Edema](#) [Epilepsy](#) [Epilepsy](#) [Fractures, Bone](#)
[Fragile X Syndrome](#) [Fragile X syndrome](#)

... see more

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.