



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

MEN1 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # : H00004221-T01

規格 : [100 uL]

List All

Specification

Transfected Cell Line: 293T


Plasmid: pCMV-MEN1 full-length

Host: Human

Theoretical MW (kDa): 63.36


Quality Control Testing: Transient overexpression cell lysate was tested with Anti-MEN1 antibody (H00004221-B01) by Western Blots.

SDS-PAGE Gel



MEN1 transfected lysate.

Western Blot



Lane 1: MEN1 transfected lysate (63.36 KDa)

Lane 2: Non-transfected lysate.

Storage Buffer: 1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

Storage Instruction: Store at -80°C. Aliquot to avoid repeated freezing and thawing.

MSDS:  [Download](#)

Applications

Application Image

Western Blot

Western Blot

Gene Information

Entrez GeneID: [4221](#)

GeneBank Accession#: [BC002544.2](#)

Protein Accession#: =

Gene Name: MEN1

Gene Alias: MEAI,SCG2

Gene Description: multiple endocrine neoplasia I

Omim ID: [131100](#), [145000](#)

Gene Ontology: [Hyperlink](#)

Gene Summary: This gene encodes menin, a putative tumor suppressor associated with a syndrome known as multiple endocrine neoplasia type 1. In vitro studies have shown menin is localized to the nucleus, possesses two functional nuclear localization signals, and inhibits transcriptional activation by JunD, however, the function of this protein is not known. Two messages have been detected on northern blots but the larger message has not been characterized. Alternative splicing results in multiple transcript variants. [provided by RefSeq]

Other Designations: OTTHUMP00000042868,OTTHUMP00000070176,OTTHUMP00000070180,OTTHUMP00000070184,endocrine adenomatosis, multiple,menin

Related Disease

[Adenocarcinoma](#) [Adenoma](#) [Adrenal Gland Neoplasms](#) [Cardiovascular Diseases](#) [Diabetes Mellitus, Type 2](#) [Disease Susceptibility](#) [Edema](#) [Esophageal Neoplasms](#) [Genetic Predisposition to Disease](#) [Hyperinsulinism](#) [Hyperparathyroidism](#) [Hyperparathyroidism, Primary](#) [Hypoglycemia](#) [Insulinoma](#) [Multiple endocrine neoplasia](#) [Multiple Endocrine Neoplasia Type 1](#) [Neuroendocrine Tumors](#) [Pancreatic cancer](#) [Pancreatic Neoplasms](#)

... see more