



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

NCK1 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # : H00004690-T01

規格 : [100 uL]

[List All](#)

Specification

Transfected Cell Line: 293T

Plasmid: pCMV-NCK1 full-length

Host: Human


Theoretical MW (kDa): 41.58

Quality Control Testing: Transient overexpression cell lysate was tested with Anti-NCK1 antibody (H00004690-B01) by Western Blots.

Application Image

Western Blot


Western Blot



Lane 1: NCK1 transfected lysate (42.9 KDa)

Lane 2: Non-transfected lysate.

SDS-PAGE Gel



NCK1 transfected lysate.

Storage Buffer: 1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

Storage Instruction: Store at -80°C. Aliquot to avoid repeated freezing and thawing.

MSDS:  [Download](#)

Applications

Western Blot

Gene Information

Entrez GeneID: [4690](#)

GeneBank [NM_006153](#)
Accession#:

Protein [NP_006144](#)
Accession#:

Gene Name: NCK1

Gene Alias: MGC12668,NCK,NCKalpha

Gene Description: NCK adaptor protein 1


Omim ID: [600508](#)

Gene Ontology: [Hyperlink](#)

Gene Summary: The protein encoded by this gene is one of the signaling and transforming proteins containing Src homology 2 and 3 (SH2 and SH3) domains. It is located in the cytoplasm and is an adaptor protein involved in transducing signals from receptor tyrosine kinases to downstream signal recipients such as RAS. [provided by RefSeq]

Other Designations: NCK tyrosine kinase,SH2/SH3 adaptor protein NCK-alpha,melanoma NCK protein,non-catalytic region of tyrosine kinase

Interactome



Gene Pathway

[Axon guidance](#) [ErbB signaling pathway](#) [Pathogenic Escherichia coli infection - EHEC](#)
[T cell receptor signaling pathway](#)

