



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com


[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

NGFR monoclonal antibody (M01), clone 1D1

Catalog # : H00004804-M01

規格 : [100 ug]

[List All](#)

Specification	Application Image
Product Description: Mouse monoclonal antibody raised against a partial recombinant NGFR.	ELISA
Immunogen: NGFR (AAH50309.1, 65 a.a. ~ 148 a.a) partial recombinant protein with GST tag.	
Sequence: EPCLDSVTFSDVVSATEPCKPCTECVGLQSMSAPCVEADDAVCRCAYG YYQDETTGRCEACRVCEAGSGLVFCQDKQNTVCEEGLGGGS	
Host: Mouse	
Reactivity: Human	
Isotype: IgG1 Kappa	
Quality Control Testing: Antibody Reactive Against Recombinant Protein.	
Storage Buffer: In 1x PBS, pH 7.4	
Storage Instruction: Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.	
Datasheet:  Download	
Applications	
ELISA	
Gene Information	
Entrez GeneID: 4804	
GeneBank Accession#: BC050309.1	
Protein Accession#: AAH50309.1	
Gene Name: NGFR	
Gene Alias: CD271,Gp80-LNGFR,TNFRSF16,p75(NTR),p75NTR	
Gene Description: nerve growth factor receptor (TNFR superfamily, member 16)	
Omim ID: 162010	
Gene Ontology: Hyperlink	
Gene Summary: Nerve growth factor receptor contains an extracellular domain	

containing four 40-amino acid repeats with 6 cysteine residues at conserved positions followed by a serine/threonine-rich region, a single transmembrane domain, and a 155-amino acid cytoplasmic domain. The cysteine-rich region contains the nerve growth factor binding domain. [provided by RefSeq]

Other Designations: low affinity nerve growth factor receptor, low-affinity nerve growth factor receptor, nerve growth factor receptor

Gene Pathway

[Cytokine-cytokine receptor interaction](#) [Neurotrophin signaling pathway](#)

Related Disease

[Alzheimer Disease](#) [Alzheimer disease](#) [Asperger Syndrome](#) [Asthma](#) [Asthma](#)
[Attention Deficit Disorder with Hyperactivity](#) [Autistic Disorder](#) [Bronchiolitis, Viral](#)
[Celiac Disease](#) [Depressive Disorder](#) [Depressive Disorder, Major](#) [Disease Models, Animal](#)
[Eating Disorders](#) [Genetic Diseases, Inborn](#) [Genetic Predisposition to Disease](#)
[Infant, Premature, Diseases](#) [Kidney Failure, Chronic](#) [Mental Disorders](#) [Multiple Sclerosis](#)

... see more

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.