



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)


[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## NGFR monoclonal antibody (M07), clone 8D2

Catalog # : H00004804-M07

規格 : [ 100 ug ]

List All

Specification	Application Image
<b>Product Description:</b> Mouse monoclonal antibody raised against a partial recombinant NGFR.	ELISA
<b>Immunogen:</b> NGFR (AAH50309.1, 65 a.a. ~ 148 a.a) partial recombinant protein with GST tag.	
<b>Sequence:</b> EPCLDSVTFSDVVSATEPCKPCTECVGLQSMSAPCVEADDAVCRCAYG YYQDETTGRCEACRVCEAGSGLVFSQDKQNTVCEEGLGGGS	
<b>Host:</b> Mouse	
<b>Reactivity:</b> Human	
<b>Isotype:</b> IgG1 Kappa	
<b>Quality Control Testing:</b> Antibody Reactive Against Recombinant Protein.	
<b>Storage Buffer:</b> In 1x PBS, pH 7.4	
<b>Storage Instruction:</b> Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.	
<b>Datasheet:</b>  <a href="#">Download</a>	
<b>Applications</b>	
ELISA	
<b>Gene Information</b>	
<b>Entrez GeneID:</b> <a href="#">4804</a>	
<b>GeneBank Accession#:</b> <a href="#">BC050309.1</a>	
<b>Protein Accession#:</b> <a href="#">AAH50309.1</a>	
<b>Gene Name:</b> NGFR	
<b>Gene Alias:</b> CD271,Gp80-LNGFR,TNFRSF16,p75(NTR),p75NTR	
<b>Gene Description:</b> nerve growth factor receptor (TNFR superfamily, member 16)	
<b>Omim ID:</b> <a href="#">162010</a>	
<b>Gene Ontology:</b> <a href="#">Hyperlink</a>	
<b>Gene Summary:</b> Nerve growth factor receptor contains an extracellular domain	

containing four 40-amino acid repeats with 6 cysteine residues at conserved positions followed by a serine/threonine-rich region, a single transmembrane domain, and a 155-amino acid cytoplasmic domain. The cysteine-rich region contains the nerve growth factor binding domain. [provided by RefSeq]

---

**Other Designations:** low affinity nerve growth factor receptor, low-affinity nerve growth factor receptor, nerve growth factor receptor

---

### Gene Pathway

---

[Cytokine-cytokine receptor interaction](#) [Neurotrophin signaling pathway](#)

### Related Disease

---

[Alzheimer Disease](#) [Alzheimer disease](#) [Asperger Syndrome](#) [Asthma](#) [Asthma](#)  
[Attention Deficit Disorder with Hyperactivity](#) [Autistic Disorder](#) [Bronchiolitis, Viral](#)  
[Celiac Disease](#) [Depressive Disorder](#) [Depressive Disorder, Major](#) [Disease Models, Animal](#)  
[Eating Disorders](#) [Genetic Diseases, Inborn](#) [Genetic Predisposition to Disease](#)  
[Infant, Premature, Diseases](#) [Kidney Failure, Chronic](#) [Mental Disorders](#) [Multiple Sclerosis](#)

... see more

---

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.