



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 



NQO2 purified MaxPab rabbit polyclonal antibody (D01P) MaxPab®

Catalog # : H00004835-D01P

規格 : [100 ug]


[List All](#)

Specification


Product Description:	Rabbit polyclonal antibody raised against a full-length human NQO2 protein.
Immunogen:	NQO2 (NP_000895.1, 1 a.a. ~ 231 a.a) full-length human protein.
Sequence:	MAGKKVLIVYAHQEPKSFNGSLKNVAVDELSRQGCTVTVSDLYAMNFEP RATDKDITGTLNPEVFN YGVETHEAYKQRSLASDITDEQKKVREADLVIF QFPLYWFSVPAILKGWMDRVL CQGF AFDIPGFYDSGLLQGKLALLSVTT GGTAEMYTKTGVNGDSRYFLWPLQHGT LHF CGFKVLAPQISFAPEIASE EERKGMVAAWSQRLQTIWKEEPI PCTAHWHFGQ
Host:	Rabbit
Reactivity:	Human
Quality Control Testing:	Antibody reactive against mammalian transfected lysate.
Storage Buffer:	In 1x PBS, pH 7.4
Storage Instruction:	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.
MSDS:	 Download
Datasheet:	 Download

Application Image

Western Blot (Transfected lysate)




Immunofluorescence



Applications

Western Blot (Transfected lysate)




Western Blot analysis of NQO2 expression in transfected 293T cell line ([H00004835-T01](#)) by NQO2 MaxPab polyclonal antibody.

Lane 1: NQO2 transfected lysate(26.00 KDa).

Lane 2: Non-transfected lysate.

 [Protocol Download](#)

Immunofluorescence



[enlarge this image](#)

Immunofluorescence of purified MaxPab antibody to NQO2 on HeLa cell. [antibody concentration 10 ug/ml]

 [Protocol Download](#)

Gene Information

Entrez GeneID: [4835](#)

**GeneBank
Accession#:** [NM_000904](#)

**Protein
Accession#:** [NP_000895.1](#)

Gene Name: NQO2

Gene Alias: DHQV,DIA6,NMOR2,QR2

**Gene
Description:** NAD(P)H dehydrogenase, quinone 2

Omim ID: [160998](#)

Gene Ontology: [Hyperlink](#)

**Other
Designations:** NAD(P)H menadione oxidoreductase 2, dioxin-inducible,NAD(P)H menadione oxidoreductase-1, dioxin-inducible-2,OTTHUMP00000015948,OTTHUMP00000015949,OTTHUMP00000015953

Related Disease

[Agranulocytosis](#) [Alcohol Withdrawal Delirium](#) [Breast cancer](#) [Breast Neoplasms](#) [Carcinoma](#) [Carcinoma, Transitional Cell](#) [Chromosome Deletion](#) [Cognition Disorders](#) [Disease Susceptibility](#) [Genetic Predisposition to Disease](#) [Hallucinations](#) [Leukemia](#) [Leukemia, Myelocytic, Acute](#) [Mental Recall](#) [Myelodysplastic Syndromes](#) [Neuropsychological Tests](#) [Pancreatitis, Alcoholic](#) [Parkinson Disease](#) [Parkinson disease](#)

... see more

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.