



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

NTF5 polyclonal antibody (A01)

Catalog # : H00004909-A01

規格 : [50 uL]

List All

Specification

Product Description: Mouse polyclonal antibody raised against a partial recombinant NTF5.


Immunogen: NTF5 (NP_006170, 111 a.a. ~ 209 a.a) partial recombinant protein with GST tag.

Sequence: VDLRGREVEVLGEVPAAGGSPLRQYFFETRCKADNAEEGGPGAGGGG
CRGVDRRHWWSECKAKQSYVRALTADAQGRVGVWRWIRIDTACVCTLLS
RTGR

Host: Mouse

Reactivity: Human

Quality Control Testing: Antibody Reactive Against Recombinant Protein.



Western Blot detection against Immunogen (37 KDa) .

Storage Buffer: 50 % glycerol

Storage Instruction: Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

MSDS: [Download](#)

Datasheet: [Download](#)

Applications

Western Blot (Recombinant protein)

[Protocol Download](#)

ELISA

Gene Information

Entrez GeneID: [4909](#)

GeneBank Accession#: [NM_006179](#)

Application Image

Western Blot (Recombinant protein)

ELISA

Protein Accession#: [NP_006170](#)

Gene Name: NTF4

Gene Alias: NT-4/5,NT4,NT5,NTF5

Gene Description: neurotrophin 4

Omim ID: [162662](#)

Gene Ontology: [Hyperlink](#)

Gene Summary: This gene is a member of a family of neurotrophic factors, neurotrophins, that control survival and differentiation of mammalian neurons. The expression of this gene is ubiquitous and less influenced by environmental signals. While knock-outs of other neurotrophins including nerve growth factor, brain-derived neurotrophic factor, and neurotrophin 3 prove lethal during early postnatal development, NTF5-deficient mice only show minor cellular deficits and develop normally to adulthood. [provided by RefSeq]

Other Designations: neurotrophic factor 4,neurotrophic factor 5,neurotrophin 5,neurotrophin 5 (neurotrophin 4/5)

Gene Pathway

[MAPK signaling pathway](#) [Neurotrophin signaling pathway](#)

Related Disease

[Asperger Syndrome](#) [Attention Deficit Disorder with Hyperactivity](#) [Autistic Disorder](#)
[Disease Models, Animal](#) [Eating Disorders](#) [Genetic Predisposition to Disease](#)
[Glaucoma, Angle-Closure](#) [Glaucoma, Open-Angle](#) [Mental Disorders](#) [Social Perception](#)

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.