



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

PAFAH1B3 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # : H00005050-T01

規格 : [100 uL]

[List All](#)

Specification

Transfected Cell Line: 293T


Plasmid: pCMV-PAFAH1B3 full-length

Host: Human

Theoretical MW (kDa): 25.52

Quality Control Testing: Transient overexpression cell lysate was tested with Anti-PAFAH1B3 antibody ([H00005050-B01](#)) by Western Blots.


Western Blot



Lane 1: PAFAH1B3 transfected lysate (25.7 KDa)

Lane 2: Non-transfected lysate.

SDS-PAGE Gel



PAFAH1B3 transfected lysate.

Storage Buffer: 1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

Storage Instruction: Store at -80°C. Aliquot to avoid repeated freezing and thawing.

MSDS:  [Download](#)

Applications

Application Image

Western Blot

Western Blot

Gene Information

Entrez GeneID: [5050](#)

**GeneBank
Accession#:** [NM_002573](#)

**Protein
Accession#:** [NP_002564](#)

Gene Name: PFAFH1B3

Gene Alias: -

**Gene
Description:** platelet-activating factor acetylhydrolase, isoform Ib, gamma subunit
29kDa

Omim ID: [603074](#)

Gene Ontology: [Hyperlink](#)

Gene Summary: This gene encodes an acetylhydrolase that catalyzes the removal of an acetyl group from the glycerol backbone of platelet-activating factor. The encoded enzyme is a subunit of the platelet-activating factor acetylhydrolase isoform 1B complex, which consists of the catalytic beta and gamma subunits and the regulatory alpha subunit. This complex functions in brain development. A translocation between this gene on chromosome 19 and the CDC-like kinase 2 gene on chromosome 1 has been observed, and was associated with mental retardation, ataxia, and atrophy of the brain. Alternatively spliced transcript variants have been described. [provided by RefSeq]

**Other
Designations:** platelet-activating factor acetylhydrolase, isoform Ib, gamma subunit
(29kD)

Gene Pathway

[Ether lipid metabolism](#) [Metabolic pathways](#)

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.