



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

PAK3 monoclonal antibody (M08), clone 3A12

Catalog # : H00005063-M08


規格 : [100 ug]

[List All](#)

Specification

Product Description:	Mouse monoclonal antibody raised against a partial recombinant PAK3.
Immunogen:	PAK3 (NP_002569, 1 a.a. ~ 90 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.
Sequence:	MSDGLDNEEKPPAPPLRMNSNIRDSSALNHSSKPLPMAPEEKNNKKARLR SIFPGGGDKTNKKKEKERPEISLPDFEHTIHVGFDVAVTGE
Host:	Mouse
Reactivity:	Human, Mouse
Isotype:	IgG2a Kappa

Quality Control Testing: Antibody Reactive Against Recombinant Protein.



Western Blot detection against Immunogen (35.53 KDa) .

Storage Buffer: In 1x PBS, pH 7.4

Storage Instruction: Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

MSDS: [Download](#)


Datasheet: [Download](#)

Applications

Western Blot (Cell lysate)

Application Image


Western Blot (Cell lysate)



[enlarge](#)


Western Blot (Recombinant protein)

Immunofluorescence



[enlarge](#)

ELISA




PAK3 monoclonal antibody (M08), clone 3A12 Western Blot analysis of PAK3 expression in NIH/3T3 (Cat # L018V1).

[Protocol Download](#)

Western Blot (Recombinant protein)

[Protocol Download](#)

Immunofluorescence



[enlarge this image](#)

Immunofluorescence of monoclonal antibody to PAK3 on NIH/3T3 cell. [antibody concentration 10 ug/ml]

[Protocol Download](#)

ELISA

Gene Information

Entrez GeneID: [5063](#)

GeneBank [NM_002578](#)
Accession#:

Protein [NP_002569](#)
Accession#:

Gene Name: PAK3

Gene Alias: CDKN1A,MRX30,MRX47,OPHN3,PAK3beta,bPAK,hPAK3

Gene Description: p21 protein (Cdc42/Rac)-activated kinase 3

Omim ID: [300142](#), [300558](#)

Gene Ontology: [Hyperlink](#)

Gene Summary: PAK proteins are critical effectors that link Rho GTPases to cytoskeleton reorganization and nuclear signaling. PAK proteins, a family of serine/threonine p21-activating kinases, serve as targets for the small GTP binding proteins Cdc42 and RAC and have been implicated in a wide range of biological activities. The protein encoded by this gene forms an activated complex with GTP-bound RAS-like

(P21), CDC2 and RAC1 proteins which then catalyzes a variety of targets. This protein may be necessary for dendritic development and for the rapid cytoskeletal reorganization in dendritic spines associated with synaptic plasticity. Defects in this gene are the cause of non-syndromic mental retardation X-linked type 30 (MRX30), also called X-linked mental retardation type 47 (MRX47). Alternatively spliced transcript variants encoding different isoforms have been identified. [provided by RefSeq]

Other Designations: OTTHUMP00000023855,OTTHUMP00000062894,beta-PAK,oligophrenin-3,p21 (CDKN1A)-activated kinase 3,p21-activated kinase 3,p21-activated kinase-3,serine/threonine-protein kinase PAK 3

Gene Pathway

[Axon guidance](#) [ErbB signaling pathway](#) [Focal adhesion](#) [Regulation of actin cytoskeleton](#)
[Renal cell carcinoma](#) [T cell receptor signaling pathway](#)

Related Disease

[Chronic Disease](#) [Cognition Disorders](#) [Endometrial Neoplasms](#)
[Genetic Predisposition to Disease](#) [Neuropsychological Tests](#) [Schizophrenia](#) [Schizophrenia](#)

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.