



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com


[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

REG3A monoclonal antibody (M07), clone 1H4

Catalog # : H00005068-M07

規格 : [100 ug]

List All

Specification	Application Image
Product Description: Mouse monoclonal antibody raised against a full-length recombinant REG3A.	ELISA
Immunogen: REG3A (AAH36776.1, 1 a.a. ~ 175 a.a) full-length recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.	
Sequence: MLPPMALPSVSWMLLSCLMLLSQVQGEEPQRELPSARIRCCKGSKAYG SHCYALFLSPKSWTDADLACQKRPSGNLVSLSGAEGSFVSSLVKSIGN SYSYVWIGLHDPTQGTEPNGEGWEWSSSDVMNYFAWERNPSTISSPGH CASLSRSTAFLRWKDYNCNVRPLPYVCKFTD	
Host: Mouse	
Reactivity: Human	
Isotype: IgG1 Kappa	
Quality Control Testing: Antibody Reactive Against Recombinant Protein.	
Storage Buffer: In 1x PBS, pH 7.4	
Storage Instruction: Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.	
Datasheet:  Download	
Applications	
ELISA	
Gene Information	
Entrez GeneID: 5068	
GeneBank Accession#: BC036776.1	
Protein Accession#: AAH36776.1	
Gene Name: REG3A	
Gene Alias: HIP,INGAP,PAP,PAP-H,PAP1,PBCGF,REG-III,REG3	
Gene Description: regenerating islet-derived 3 alpha	
Omim ID: 167805	
Gene Ontology: Hyperlink	

Gene Summary: This gene encodes a pancreatic secretory protein that may be involved in cell proliferation or differentiation. It has similarity to the C-type lectin superfamily. The enhanced expression of this gene is observed during pancreatic inflammation and liver carcinogenesis. Multiple alternatively spliced transcript variants encoding the same protein have been described for this gene but the full length nature of some transcripts is not yet known. [provided by RefSeq]

Other Designations: PAP homologous protein,hepatocarcinoma-intestine-pancreas,pancreatic beta cell growth factor,pancreatitis-associated protein,proliferation-inducing protein 34,proliferation-inducing protein 42

Related Disease

[Alzheimer Disease](#) [Alzheimer disease](#) [Cardiovascular Diseases](#) [Diabetes Complications](#)
[Metabolic Syndrome X](#) [Neoplasms](#) [Osteoporosis](#)

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.