



**SZABO
SCANDIC**

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic



MAPK9 monoclonal antibody (M01), clone 1C1-3A8

Catalog # : H00005601-M01


規格 : [100 ug]

[List All](#)

Specification

Product Description:	Mouse monoclonal antibody raised against a full length recombinant MAPK9.
Immunogen:	MAPK9 (AAH32539, 1 a.a. ~ 424 a.a) full-length recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.
Sequence:	MSDSKCDSQFYSVQADSTFTVLKRYQQQLPIGSGAQGIVCAAFDTVLG INVAVKKLSRPFQNQTHAKRAYRELVLLKCVNHKNIISLLNVFTPQKTLEEF QDVYLVMEMLMDANLCQVIHMELDHERMSYLLYQMLCGIKHLHSAGIIHRDL KPSNIVVKSDCTLKILDGLARTACTNFMMTPYVVTRYRAPEVILGMGY KENVDIWSVGCIMGELVKGCVIFQGTDHIDQWNKVIEQLGTPSAEFMKKL QPTVRNYVENRPKYPGIKFEEELFPDWIFPSESERDKIKTSQARDLSSKML VIDPDKRISVDEALRHYPITWYDPAEAEAPPQIYDAQLEEREHAIEEWK ELIYKEVMWDWEERSKNGVVKDQPSDAAVSSNATPSQSSSINDISSMSTEQ TLASDTDSSLDASTGPLEGCR
Host:	Mouse
Reactivity:	Human
Isotype:	IgG1 kappa

Quality Control Antibody Reactive Against Recombinant Protein.
Testing:



Storage Buffer: In 1x PBS, pH 7.4


Storage Instruction: Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

MSDS: [!\[\]\(6a9b39b98eb945faa14c645ec99e4eaa_img.jpg\) Download](#)

Datasheet: [!\[\]\(9c2e8d1b5bd77cb5c9f83b7a9cff79fd_img.jpg\) Download](#)


Application Image

Western Blot (Transfected lysate)




Western Blot (Recombinant protein)

Immunohistochemistry
(Formalin/PFA-fixed paraffin-embedded sections)




Sandwich ELISA (Recombinant protein)




ELISA

RNAi Knockdown (Antibody validated)



Applications

Western Blot (Transfected lysate)



Western Blot analysis of MAPK9 expression in transfected 293T cell line by MAPK9 monoclonal antibody (M01), clone 1C1-3A8.

Lane 1: MAPK9 transfected lysate(48.1 KDa).


Lane 2: Non-transfected lysate.

[Protocol Download](#)

Western Blot (Recombinant protein)

[Protocol Download](#)

Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)




[enlarge this image](#)

Immunoperoxidase of monoclonal antibody to MAPK9 on formalin-fixed paraffin-embedded human spleen tissue. [antibody concentration 3 ug/ml]

[Protocol Download](#)

Sandwich ELISA (Recombinant protein)




Detection limit for recombinant GST tagged MAPK9 is approximately 3ng/ml as a capture antibody.

[Protocol Download](#)

ELISA

RNAi Knockdown (Antibody validated)



Western blot analysis of MAPK9 over-expressed 293 cell line, cotransfected with MAPK9 Validated Chimera RNAi (Cat # H00005601-R01V) (Lane 2) or non-transfected control (Lane 1). Blot probed with MAPK9 monoclonal antibody (M01) clone 1C1-3A8 (Cat # H00005601-M01). GAPDH (36.1 kDa) used as specificity and loading control.

[Protocol Download](#)

Gene Information

Entrez GeneID: [5601](#)

GeneBank [BC032539](#)

Accession#:

Protein [AAH32539](#)

Accession#:

Gene Name: MAPK9

Gene Alias: JNK-
55,JNK2,JNK2A,JNK2ALPHA,JNK2B,JNK2BETA,PRKM9,SAPK,p54a,p54
aSAPK

Gene mitogen-activated protein kinase 9

Description:

Omim ID: [602896](#)

Gene Ontology: [Hyperlink](#)

Gene Summary: The protein encoded by this gene is a member of the MAP kinase family. MAP kinases act as an integration point for multiple biochemical signals, and are involved in a wide variety of cellular processes such as proliferation, differentiation, transcription regulation and development. This kinase targets specific transcription factors, and thus mediates immediate-early gene expression in response to various cell stimuli. It is most closely related to MAPK8, both of which are involved in UV radiation induced apoptosis, thought to be related to the cytochrome c-mediated cell death pathway. This gene and MAPK8 are also known as c-Jun N-terminal kinases. This kinase blocks the ubiquitination of tumor suppressor p53, and thus it increases the stability of p53 in nonstressed cells. Studies of this gene's mouse counterpart suggest a key role in T-cell differentiation. Several alternatively spliced transcript variants encoding distinct isoforms have been reported. [provided by RefSeq]

Other Designations: Jun kinase,MAP kinase 9,c-Jun N-terminal kinase 2,c-Jun kinase 2,mitogen-activated protein kinase 9 isoform JNK2 alpha2,stress-activated protein kinase JNK2

Gene Pathway

[Adipocytokine signaling pathway](#) [Colorectal cancer](#)

[Epithelial cell signaling in Helicobacter pylori infection](#) [ErbB signaling pathway](#)
[Fc epsilon RI signaling pathway](#) [Focal adhesion](#) [GnRH signaling pathway](#)
[Insulin signaling pathway](#) [MAPK signaling pathway](#) [Neurotrophin signaling pathway](#)
[Pancreatic cancer](#) [Pathways in cancer](#) [T cell receptor signaling pathway](#)
[Toll-like receptor signaling pathway](#) [Type II diabetes mellitus](#) [Wnt signaling pathway](#)

Related Disease

[Breast cancer](#) [Breast Neoplasms](#) [Genetic Predisposition to Disease](#) [HIV Infections](#)
[Tobacco Use Disorder](#)

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.