

Produktinformation



Forschungsprodukte & Biochemikalien
Zellkultur & Verbrauchsmaterial
Diagnostik & molekulare Diagnostik
Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien T. +43(0)1 489 3961-0 F. +43(0)1 489 3961-7 <u>mail@szabo-scandic.com</u> www.szabo-scandic.com



MAPK9 monoclonal antibody (M02), clone 2F8

Specification		Application Image
Product Description:	Mouse monoclonal antibody raised against a partial recombinant MAPK9.	Western Blot (Cell lysate)
Immunogen:	MAPK9 (AAH32539, 321 a.a. ~ 424 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.	37 25 - 20 -
Sequence:	ITVWYDPAEAEAPPPQIYDAQLEEREHAIEEWKELIYKEVMDWEERSKNG VVKDQPSDAAVSSNATPSQSSSINDISSMSTEQTLASDTDSSLDASTGPL EGCR	i8= € <mark>enlarge</mark>
Host:	Mouse	Western Blot (Recombinant protein)
Reactivity:	Human	Immunofluorescence
Isotype:	lgG1 Lambda	1. C. C. C. S.
Testing:	Antibody Reactive Against Recombinant Protein.	enlarge Sandwich ELISA (Recombina protein)
Storage Buffer:	In 1x PBS, pH 7.4	(Cell)
Storage Instruction:	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.	
MSDS:	Download	
Datasheet:	m Download	🔍 <u>enlarge</u>





in HeLa (Cat # L013V1).

Protocol Download

Western Blot (Recombinant protein)








Renlarge this image Immunofluorescence of monoclonal antibody to MAPK9 on HeLa cell. [antibody concentration 10 ug/ml]

Protocol Download

Sandwich ELISA (Recombinant protein)




Detection limit for recombinant GST tagged MAPK9 is approximately 0.03ng/ml as a capture antibody.

Protocol Download

ELISA

In situ Proximity Ligation Assay (Cell)



Proximity Ligation Analysis of protein-protein interactions between TRAF2 and MAPK9. HeLa cells were stained with anti-TRAF2 rabbit purified polyclonal 1:1200 and anti-MAPK9 mouse monoclonal antibody 1:50. Each red dot represents the detection of protein-protein interaction complex, and nuclei were counterstained with DAPI (blue).

Gene Information

Entrez GeneID:	<u>5601</u>	
GeneBank Accession#:	<u>BC032539</u>	
Protein Accession#:	<u>AAH32539</u>	
Gene Name:	MAPK9	
Gene Alias:	JNK- 55,JNK2,JNK2A,JNK2ALPHA,JNK2B,JNK2BETA,PRKM9,SAPK,p54a,p54 aSAPK	
Gene Description:	mitogen-activated protein kinase 9	
Omim ID:	<u>602896</u>	
Gene Ontology:	<u>Hyperlink</u>	
Gene Summary:	ry: The protein encoded by this gene is a member of the MAP kinase family. MAP kinases act as an integration point for multiple biochemical signals, and are involved in a wide variety of cellular processes such as proliferation, differentiation, transcription regulation and development. This kinase targets specific transcription factors, and thus mediates immediate-early gene expression in response to various cell stimuli. It is most closely related to MAPK8, both of which are involved in UV radiation induced apoptosis, thought to be related to the cytochrome c-mediated cell death pathway. This gene and MAPK8 are also known as c-Jun N-terminal kinases. This kinase blocks the ubiquitination of tumor suppressor p53, and thus it increases the stability of p53 in nonstressed cells. Studies of this gene's mouse counterpart suggest a key role in T-cell differentiation. Several alternatively spliced transcript variants encoding distinct isoforms have been reported. [provided by RefSeq	
	Jun kinase,MAP kinase 9,c-Jun N-terminal kinase 2,c-Jun kinase 2,mitogen-activated protein kinase 9 isoform JNK2 alpha2,stress- activated protein kinase JNK2	

Gene Pathway

Adipocytokine signaling pathway Colorectal cancer Epithelial cell signaling in Helicobacter pylori infection ErbB signaling pathway Fc epsilon RI signaling pathway Focal adhesion GnRH signaling pathway Insulin signaling pathway MAPK signaling pathway Neurotrophin signaling pathway Pancreatic cancer Pathways in cancer T cell receptor signaling pathway Toll-like receptor signaling pathway Type II diabetes mellitus Wnt signaling pathway

Related Disease

Breast cancer Breast Neoplasms Genetic Predisposition to Disease HIV Infections Tobacco Use Disorder

服務條款 | 隱私權政策 | 著作及商標 | 網站地圖

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.