



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

PRPSAP2 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # : H00005636-T01

規格 : [100 uL]

[List All](#)

Specification

Transfected Cell Line: 293T


Plasmid: pCMV-PRPSAP2 full-length

Host: Human

Theoretical MW (kDa): 40.7


Quality Control Testing: Transient overexpression cell lysate was tested with Anti-PRPSAP2 antibody ([H00005636-B01](#)) by Western Blots.

SDS-PAGE Gel



PRPSAP2 transfected lysate.

Western Blot



Lane 1: PRPSAP2 transfected lysate (40.7 KDa)

Lane 2: Non-transfected lysate.

Storage Buffer: 1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

Storage Instruction: Store at -80°C. Aliquot to avoid repeated freezing and thawing.

MSDS:  [Download](#)

Applications

Application Image

Western Blot

Western Blot

Gene Information

Entrez GeneID: [5636](#)

GeneBank Accession#: [NM_002767.2](#)

Protein Accession#: [NP_002758.1](#)

Gene Name: PRPSAP2

Gene Alias: MGC117304,MGC126719,MGC126721,PAP41

Gene Description: phosphoribosyl pyrophosphate synthetase-associated protein 2

Omim ID: [603762](#)

Gene Ontology: [Hyperlink](#)

Gene Summary: The enzyme phosphoribosylpyrophosphate synthetase (PRS) catalyzes the formation of phosphoribosylpyrophosphate which is a substrate for synthesis of purine and pyrimidine nucleotides, histidine, tryptophan and NAD. PRS exists as a complex with two catalytic subunits and two associated subunits. This gene encodes a non-catalytic associated subunit of PRS. [provided by RefSeq]

Other Designations: OTTHUMP00000065716

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.