



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

KLK10 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # : H00005655-T01

規格 : [100 uL]

List All

Specification

Transfected Cell Line: 293T


Plasmid: pCMV-KLK10 full-length

Host: Human

Theoretical MW (kDa): 30.47

Quality Control Testing: Transient overexpression cell lysate was tested with Anti-KLK10 antibody ([H00005655-B01](#)) by Western Blots.


Western Blot



Lane 1: KLK10 transfected lysate (30.1 KDa)

Lane 2: Non-transfected lysate.

SDS-PAGE Gel



KLK10 transfected lysate.

Storage Buffer: 1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

Storage Instruction: Store at -80°C. Aliquot to avoid repeated freezing and thawing.

MSDS:  [Download](#)

Applications

Application Image

Western Blot

Western Blot

Gene Information

Entrez GeneID: [5655](#)

**GeneBank
Accession#:** [BC002710](#)

**Protein
Accession#:** [AAH02710](#)

Gene Name: KLK10

Gene Alias: NES1,PRSSL1

**Gene
Description:** kallikrein-related peptidase 10

Omim ID: [602673](#)

Gene Ontology: [Hyperlink](#)

Gene Summary: Kallikreins are a subgroup of serine proteases having diverse physiological functions. Growing evidence suggests that many kallikreins are implicated in carcinogenesis and some have potential as novel cancer and other disease biomarkers. This gene is one of the fifteen kallikrein subfamily members located in a cluster on chromosome 19. Its encoded protein is secreted and may play a role in suppression of tumorigenesis in breast and prostate cancers. Alternate splicing of this gene results in multiple transcript variants encoding the same protein. [provided by RefSeq]

**Other
Designations:** breast normal epithelial cell associated serine protease,kallikrein 10,normal epithelial cell-specific 1,protease, serine-like, 1

Related Disease

[Adenocarcinoma](#), [Clear Cell Adenocarcinoma](#), [Mucinous Breast cancer](#) [Breast Neoplasms](#) [Cystadenocarcinoma](#), [Serous Endometrial Neoplasms](#) [Genetic Predisposition to Disease](#) [Neoplasms](#), [Glandular and Epithelial Ovarian cancer](#) [Ovarian Neoplasms](#) [Prostate cancer](#) [Prostatic Neoplasms](#) [Testicular Neoplasms](#)

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.