



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

PSMB8 monoclonal antibody (M05), clone 4E4

Catalog # : H00005696-M05


規格 : [100 ug]

List All

Specification

Product Description:	Mouse monoclonal antibody raised against a partial recombinant PSMB8.
Immunogen:	PSMB8 (AAH01114, 173 a.a. ~ 272 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.
Sequence:	DKKGPGLYYVDEHGTRLSGNMFSTGSGNTYAYGVMDSGYRPNLSPEE AYDLGRRAIAYATHRDSYSGGVNMYHMKEDGWVKVESTDVSDLLHQY REANQ
Host:	Mouse
Reactivity:	Human
Isotype:	IgG2a Kappa

Quality Control Testing: Antibody Reactive Against Recombinant Protein.



Western Blot detection against Immunogen (36.74 KDa) .

Storage Buffer: In 1x PBS, pH 7.4

Storage Instruction: Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

MSDS: [Download](#)

Datasheet: [Download](#)

Applications

Western Blot (Recombinant protein)

[Protocol Download](#)

Sandwich ELISA (Recombinant protein)

Detection limit for recombinant GST tagged PSMB8 is approximately 10ng/ml as a capture antibody.

[Protocol Download](#)

ELISA

Gene Information

Entrez GeneID: [5696](#)

GeneBank [BC001114](#)
Accession#:

Protein [AAH01114](#)
Accession#:

Gene Name: PSMB8

Gene Alias: D6S216,D6S216E,LMP7,MGC1491,PSMB5i,RING10,beta5i

Gene Description: proteasome (prosome, macropain) subunit, beta type, 8 (large multifunctional peptidase 7)

Omim ID: [177046](#)

Gene Ontology: [Hyperlink](#)

Gene Summary: The proteasome is a multicatalytic proteinase complex with a highly ordered ring-shaped 20S core structure. The core structure is composed of 4 rings of 28 non-identical subunits; 2 rings are composed of 7 alpha subunits and 2 rings are composed of 7 beta subunits. Proteasomes are distributed throughout eukaryotic cells at a high concentration and cleave peptides in an ATP/ubiquitin-dependent process in a non-lysosomal pathway. An essential function of a modified proteasome, the immunoproteasome, is the processing of class I MHC peptides. This gene encodes a member of the proteasome B-type family, also known as the T1B family, that is a 20S core beta subunit. This gene is located in the class II region of the MHC (major histocompatibility complex). Expression of this gene is induced by gamma interferon and this gene product replaces catalytic subunit 3 (proteasome beta 5 subunit) in the immunoproteasome. Proteolytic processing is required to generate a mature subunit. Two alternative transcripts encoding two isoforms have been identified; both isoforms are processed to yield the same mature subunit. [provided by RefSeq]

Other Designations: OTTHUMP00000029420,OTTHUMP00000029421,OTTHUMP00000062981,low molecular weight protein 7,macropain subunit C13,multicatalytic endopeptidase complex subunit C13,protease component C13,proteasome (prosome, macropain) subunit beta type 8 (large multifunctiona

Gene Pathway

[Proteasome](#)

Related Disease

[Acute Disease](#) [Alveolitis](#), [Extrinsic Allergic Arthritis](#), [Juvenile Rheumatoid Arthritis](#), [Reactive Asthma](#) [Asthma](#) [Bronchiolitis](#), [Viral Brucellosis](#) [Cardiovascular Diseases](#) [Coronary Disease](#) [Dermatitis](#), [Atopic Diabetes Mellitus](#), [Type 1 Diabetes Mellitus](#), [Type 2 Diseases in Twins](#) [Edema](#) [Genetic Predisposition to Disease](#) [Hepatitis B](#) [Hepatitis C](#) [Hepatitis C](#). [Chronic](#)

... see more