



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Datasheet

QSCN6 (Human) Recombinant Protein (Q01)

an important role in growth regulation. Two transcript variants encoding two different isoforms have been found for this gene. [provided by RefSeq]

Catalog Number: H00005768-Q01

Regulation Status: For research use only (RUO)

Product Description: Human QSCN6 partial ORF (NP_002817, 81 a.a. - 180 a.a.) recombinant protein with GST-tag at N-terminal.

Sequence:

KALAE DVKAWRPALYLAALDCAEETNSAVCRDFNIPG
FPTVRFFKAFTKNGSGAVFPVAGADVQTLRERLIDALE
SHHDTWPPACPPLEPAKLEEIDGFF

Host: Wheat Germ (in vitro)

Theoretical MW (kDa): 36.74

Applications: AP, Array, ELISA, WB-Re
(See our web site product page for detailed applications information)

Protocols: See our web site at
<http://www.abnova.com/support/protocols.asp> or product page for detailed protocols

Preparation Method: [in vitro wheat germ expression system](#)

Purification: Glutathione Sepharose 4 Fast Flow

Storage Buffer: 50 mM Tris-HCl, 10 mM reduced Glutathione, pH=8.0 in the elution buffer.

Storage Instruction: Store at -80°C. Aliquot to avoid repeated freezing and thawing.

Entrez GeneID: 5768

Gene Symbol: QSOX1

Gene Alias: FLJ34858, Q6, QSCN6

Gene Summary: This gene encodes a protein that contains domains of thioredoxin and ERV1, members of two long-standing gene families. The gene expression is induced as fibroblasts begin to exit the proliferative cycle and enter quiescence, suggesting that this gene plays