



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

DPF2 MaxPab mouse polyclonal antibody (B02) MaxPab®

Catalog # : H00005977-B02

規格 : [50 uL]

[List All](#)

Specification

Product Description: Mouse polyclonal antibody raised against a full-length human DPF2 protein.

Immunogen: DPF2 (NP_006259.1, 1 a.a. ~ 391 a.a) full-length human protein.

Sequence:
 MAAVENVVLLGEQYYKDAMEQCHYNARLCAERSVRLPFLDSQTGV
 AQSNCYIWMKRRHRGPGGLASGQLYSYPARRWRKKRAHPPEDPRLSFP
 SIKPDTDQTLKKEGLISQDGSSLEALLRTDPLEKRGAPDPRVDDDSLGEF
 PVTNSRARKRILEPDDFLDDLDEDEYEEDTPKRRGKGGKSGKGVGSAR
 KKLDAILEDKPYACDICGKRYKNRPLSYHYAHSHLAEEEEGEDKEDS
 QPPTPVSQRSEEQKSKKGPDGLALPNNYCDFCLGDSKINKKTGQPEELV
 SCSDCGRSGHPSCLQFTPVMMAAVKTYRWQCIECKCCNICGTSENDQ
 LLFCDDCDRGRYHMYCLTPSMSEPPEGWSCHLCLDLLKEKASIYQNQNS
 S

Host: Mouse

Reactivity: Human

Quality Control Testing: Antibody reactive against mammalian transfected lysate.

Storage Buffer: No additive

Storage Instruction: Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.


Note: For IHC and IF applications, antibody purification with Protein A will be needed prior to use.

MSDS: [Download](#)

Datasheet: [Download](#)

Applications


Western Blot (Transfected lysate)




Western Blot analysis of DPF2 expression in transfected 293T cell line (H00005977-T04) by DPF2 MaxPab polyclonal antibody.

Application Image

Western Blot (Transfected lysate)




Immunofluorescence



Lane 1: DPF2 transfected lysate(44.20 KDa).
Lane 2: Non-transfected lysate.

 [Protocol Download](#)

Immunofluorescence



 [enlarge this image](#)

Immunofluorescence of purified MaxPab antibody to DPF2 on HeLa cell. [antibody concentration 20 ug/ml]

 [Protocol Download](#)

Gene Information

Entrez GeneID: [5977](#)

GeneBank Accession#: [NM_006268](#)

Protein Accession#: [NP_006259.1](#)

Gene Name: DPF2

Gene Alias: MGC10180,REQ,UBID4,ubi-d4

Gene Description: D4, zinc and double PHD fingers family 2

Omim ID: [601671](#)

Gene Ontology: [Hyperlink](#)

Gene Summary: The protein encoded by this gene is a member of the d4 domain family, characterized by a zinc finger-like structural motif. This protein functions as a transcription factor which is necessary for the apoptotic response following deprivation of survival factors. It likely serves a regulatory role in rapid hematopoietic cell growth and turnover. This gene is considered a candidate gene for multiple endocrine neoplasia type I, an inherited cancer syndrome involving multiple parathyroid, enteropancreatic, and pituitary tumors. [provided by RefSeq]

Other Designations: apoptosis response zinc finger protein,requiem, apoptosis response zinc finger