



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## RFXAP 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # : H00005994-T01

規格 : [ 100 uL ]

List All

### Specification

**Transfected Cell Line:** 293T


**Plasmid:** pCMV-RFXAP full-length

**Host:** Human

**Theoretical MW (kDa):** 30.03


**Quality Control Testing:** Transient overexpression cell lysate was tested with Anti-RFXAP antibody ([H00005994-B01](#)) by Western Blots.

#### SDS-PAGE Gel



RFXAP transfected lysate.

#### Western Blot



Lane 1: RFXAP transfected lysate ( 30.03 KDa)

Lane 2: Non-transfected lysate.

**Storage Buffer:** 1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

**Storage Instruction:** Store at -80°C. Aliquot to avoid repeated freezing and thawing.

**MSDS:**  [Download](#)

### Applications

## Western Blot

### Gene Information

Entrez GeneID: [5994](#)

GeneBank [BC026088.1](#)  
Accession#:

Protein [AAH26088.1](#)  
Accession#:

Gene Name: RFXAP

Gene Alias: -

Gene Description: regulatory factor X-associated protein

Omim ID: [209920](#), [601861](#)

Gene Ontology: [Hyperlink](#)

**Gene Summary:** Major histocompatibility (MHC) class II molecules are transmembrane proteins that have a central role in development and control of the immune system. The protein encoded by this gene, along with regulatory factor X-associated ankyrin-containing protein and regulatory factor-5, forms a complex that binds to the X box motif of certain MHC class II gene promoters and activates their transcription. Once bound to the promoter, this complex associates with the non-DNA-binding factor MHC class II transactivator, which controls the cell type specificity and inducibility of MHC class II gene expression. Mutations in this gene have been linked to bare lymphocyte syndrome type II, complementation group D. Transcript variants utilizing different polyA signals have been found for this gene. [provided by RefSeq]

Other Designations: OTTHUMP00000018260,RFX DNA-binding complex 36 kDa subunit,RFX-associated protein

### Gene Pathway

[Antigen processing and presentation](#) [Primary immunodeficiency](#)

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.