



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

RP2 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # : H00006102-T01

規格 : [100 uL]

[List All](#)

Specification

Transfected Cell Line: 293T


Plasmid: pCMV-RP2 full-length

Host: Human

Theoretical MW (kDa): 38.61


Quality Control Testing: Transient overexpression cell lysate was tested with Anti-RP2 antibody (H00006102-B01) by Western Blots.

SDS-PAGE Gel



RP2 transfected lysate.

Western Blot



Lane 1: RP2 transfected lysate (38.61 KDa)

Lane 2: Non-transfected lysate.

Storage Buffer: 1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

Storage Instruction: Store at -80°C. Aliquot to avoid repeated freezing and thawing.

MSDS:  [Download](#)

Applications

Application Image

Western Blot

Western Blot

Gene Information

Entrez GeneID: [6102](#)

GeneBank Accession#: [BC043348.2](#)

Protein Accession#: [AAH43348.1](#)

Gene Name: RP2

Gene Alias: DELXp11.3, KIAA0215, TBCCD2

Gene Description: retinitis pigmentosa 2 (X-linked recessive)

Omim ID: [300578](#), [312600](#)

Gene Ontology: [Hyperlink](#)

Gene Summary: The RP2 locus has been implicated as one cause of X-linked retinitis pigmentosa. The predicted gene product shows homology with human cofactor C, a protein involved in the ultimate step of beta-tubulin folding. Progressive retinal degeneration may therefore be due to the accumulation of incorrectly-folded photoreceptor or neuron-specific tubulin isoforms followed by progressive cell death [provided by RefSeq]

Other Designations: OTTHUMP00000023189, XRP2 protein

Related Disease

[Genetic Diseases, X-Linked Retinal Diseases Retinitis Pigmentosa](#)

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.