



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

RXRG polyclonal antibody (A01)

Catalog # : H00006258-A01

規格 : [50 uL]

List All

Specification

Product Description: Mouse polyclonal antibody raised against a partial recombinant RXRG.


Immunogen: RXRG (NP_008848, 1 a.a. ~ 75 a.a) partial recombinant protein with GST tag.

Sequence: MYGNYSHFMKFPAGYGGSPGHTGSTSMSPSAALSTGKPMDSHPSYTD
TPVSAPRTL SAVGTPLNALGSPYRVITS

Host: Mouse

Reactivity: Human

Quality Control Testing: Antibody Reactive Against Recombinant Protein.



Western Blot detection against Immunogen (34.36 KDa) .

Storage Buffer: 50 % glycerol

Storage Instruction: Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

MSDS: [Download](#)

Datasheet: [Download](#)

Applications

Western Blot (Recombinant protein)

[Protocol Download](#)

ELISA

Gene Information

Entrez GeneID: [6258](#)

GeneBank Accession#: [NM_006917](#)

Application Image

Western Blot (Recombinant protein)

ELISA

Protein [NP_008848](#)

Accession#:

Gene Name: RXRG

Gene Alias: NR2B3,RXRC

Gene Description: retinoid X receptor, gamma

Omim ID: [180247](#)

Gene Ontology: [Hyperlink](#)

Gene Summary: This gene encodes a member of the retinoid X receptor (RXR) family of nuclear receptors which are involved in mediating the antiproliferative effects of retinoic acid (RA). This receptor forms dimers with the retinoic acid, thyroid hormone, and vitamin D receptors, increasing both DNA binding and transcriptional function on their respective response elements. This gene is expressed at significantly lower levels in non-small cell lung cancer cells. Alternate transcriptional splice variants, encoding different isoforms, have been characterized. [provided by RefSeq]

Other Designations: OTTHUMP0000060418,retinoic acid receptor RXR-gamma,retinoid X receptor-gamma

Gene Pathway

[Adipocytokine signaling pathway](#) [Non-small cell lung cancer](#) [Pathways in cancer](#)
[PPAR signaling pathway](#) [Small cell lung cancer](#) [Thyroid cancer](#)

Related Disease

[Acquired Immunodeficiency Syndrome](#) [Adenocarcinoma](#) [Alcoholism](#) [Alzheimer Disease](#)
[Alzheimer disease](#) [Attention Deficit Disorder with Hyperactivity](#) [Autistic Disorder](#)
[Bipolar Disorder](#) [Carcinoma, Squamous Cell](#) [Cardiovascular Diseases](#) [Cleft Lip](#) [Cleft Palate](#)
[Diabetes Complications](#) [Diabetes Mellitus, Type 2](#) [Disease Progression](#)
[Esophageal Neoplasms](#) [Genetic Predisposition to Disease](#) [HIV Seropositivity](#)
[Hypercholesterolemia](#)

... see more