



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com



[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

RYK polyclonal antibody (A01)

Catalog # : H00006259-A01

規格 : [50 uL]

List All

Specification	Application Image
Product Description: Mouse polyclonal antibody raised against a partial recombinant RYK.	ELISA
Immunogen: RYK (NP_002949, 54 a.a. ~ 163 a.a) partial recombinant protein with GST tag.	
Sequence: ELQSASAGPSVSLYLSEDEVRRRLIGLDAELYVVRNDLISHYALSFNLLVPS ETNFLHFTWHAKSKVEYKLGQVDNVLAMDMPQVNISVQGEVPRTLSVF RVELSCTGKV	
Host: Mouse	
Reactivity: Human	
Quality Control Testing: Antibody Reactive Against Recombinant Protein.	
Storage Buffer: 50 % glycerol	
Storage Instruction: Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.	
MSDS:  Download	
Datasheet:  Download	
Applications	
ELISA	
Gene Information	
Entrez GeneID: 6259	
GeneBank Accession#: NM_002958	
Protein Accession#: NP_002949	
Gene Name: RYK	
Gene Alias: D3S3195,JTK5,JTK5A,RYK1	
Gene Description: RYK receptor-like tyrosine kinase	
Omim ID: 600524	
Gene Ontology: Hyperlink	

Gene Summary: The protein encoded by this gene is an atypical member of the family of growth factor receptor protein tyrosine kinases, differing from other members at a number of conserved residues in the activation and nucleotide binding domains. This gene product belongs to a subfamily whose members do not appear to be regulated by phosphorylation in the activation segment. It has been suggested that mediation of biological activity by recruitment of a signaling-competent auxiliary protein may occur through an as yet uncharacterized mechanism. Two alternative splice variants have been identified, encoding distinct isoforms. [provided by RefSeq]

Other Designations: JTK5A protein tyrosine kinase,hydroxyaryl-protein kinase

Related Disease

[Adenocarcinoma](#) [Cleft Lip](#) [Cleft Palate](#) [Genetic Predisposition to Disease](#)
[Pancreatic Neoplasms](#)

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.