

Produktinformation



Forschungsprodukte & Biochemikalien
Zellkultur & Verbrauchsmaterial
Diagnostik & molekulare Diagnostik
Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien T. +43(0)1 489 3961-0 F. +43(0)1 489 3961-7 <u>mail@szabo-scandic.com</u> www.szabo-scandic.com



S100A7 (Hun	nan) IP-WB Antibody Pair	
Catalog # : H0000	06278-PW3 規格:[1 Set]	
List All		
Specification		Application Image
Product Description:	This IP-WB antibody pair set comes with one antibody for immunoprecipitation and another to detect the precipitated protein in western blot.	Immunoprecipitation-Western Blot
Reactivity:	Human	
Quality Control Testing:	Immunoprecipitation-Western Blot (IP-WB)	
Supplied Product:	Antibody pair set content: 1. Antibody pair for IP: rabbit polyclonal anti-S100A7 (300 ul) 2. Antibody pair for WB: mouse purified polyclonal anti-S100A7 (50 ug)	
Storage Instruction:	Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze thaw cycle. Reagents should be returned to - 20°C storage immediately after use.	
Applications		
Immunoprecipit	tation-Western Blot	
Gene Informatio	on	
Entrez GenelD:	<u>6278</u>	
Gene Name:	S100A7	
Gene Alias:	PSOR1,S100A7c	
Gene Description:	S100 calcium binding protein A7	
Omim ID:	600353	
Gene Ontology	: <u>Hyperlink</u>	
Gene Summary	: The protein encoded by this gene is a member of the S100 family of	2010/

	proteins containing 2 EF-hand calcium-binding motifs. S100 proteins are localized in the cytoplasm and/or nucleus of a wide range of cells, and involved in the regulation of a number of cellular processes such as cell cycle progression and differentiation. S100 genes include at least 13 members which are located as a cluster on chromosome 1q21. This protein differs from the other S100 proteins of known structure in its lack of calcium binding ability in one EF-hand at the N-terminus. This protein is markedly over-expressed in the skin lesions of psoriatic patients, but is excluded as a candidate gene for familial psoriasis susceptibility. The exact function of this protein is not known. [provided by RefSeq
Other Designations:	OTTHUMP00000015327,OTTHUMP00000015328,S100 calcium-binding protein A7 (psoriasin 1),psoriasin 1

Related Disease

Dermatitis, Atopic Genetic Predisposition to Disease Ovarian Neoplasms Rhinitis, Allergic, Seasonal

服務條款 | 隱私權政策 | 著作及商標 | 網站地圖

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.