

# Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



## Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

## Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in





## S100B (Human) Matched Antibody Pair

Catalog # : H00006285-AP44 規格:[1Set]

#### List All

Description: quantify protein level of human S100B.  Reactivity: Human  Quality Control Standard curve using recombinant protein ( H00006285-P02 ) as an analyte.  Sandwich ELISA detection sensitivity ranging from 10 ng/ml to 100 ng/ml.  Supplied Antibody pair set content:  1. Capture antibody: mouse monoclonal anti-S100B, lgG1 Kappa (100 ug)  2. Detection antibody: biotinylated mouse monoclonal anti-S100B, lgG1 Kappa (50 ug)  *Reagents are sufficient for at least 3-5 x 96 well plates using recommended protocols.  Storage Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze thaw cycle. Reagents should be returned to -20°C storage immediately after use.  MSDS: Download  Applications  ELISA Pair (Recombinant protein)	Pair (Reco protein)
Quality Control Testing:  Standard curve using recombinant protein ( H00006285-P02 ) as an analyte.  Protein concentration (ng/ml) Sandwich ELISA detection sensitivity ranging from 10 ng/ml to 100 ng/ml.  Supplied Antibody pair set content: 1. Capture antibody: mouse monoclonal anti-S100B, lgG1 Kappa (100 ug) 2. Detection antibody: biotinylated mouse monoclonal anti-S100B, lgG1 Kappa (50 ug) "Reagents are sufficient for at least 3-5 x 96 well plates using recommended protocols.  Storage Instruction:  Storage Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze thaw cycle. Reagents should be returned to -20°C storage immediately after use.  MSDS: Download  Applications  ELISA Pair (Recombinant protein)  Entrez GenelD: 6285	
Testing:  analyte.    1	
Supplied Product:  Antibody pair set content:  1. Capture antibody: mouse monoclonal anti-S100B, lgG1 Kappa (100 ug)  2. Detection antibody: biotinylated mouse monoclonal anti-S100B, lgG1 Kappa (50 ug)  *Reagents are sufficient for at least 3-5 x 96 well plates using recommended protocols.  Storage Instruction:  Storage Instruction:  MSDS:  Download  Applications  ELISA Pair (Recombinant protein)  Protocol Download  Gene Information  Entrez GeneID: 6285	
Product:  1. Capture antibody: mouse monoclonal anti-S100B, IgG1 Kappa (100 ug) 2. Detection antibody: biotinylated mouse monoclonal anti-S100B, IgG1 Kappa (50 ug) *Reagents are sufficient for at least 3-5 x 96 well plates using recommended protocols.  Storage Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze thaw cycle. Reagents should be returned to -20°C storage immediately after use.  MSDS:  Download  Applications  ELISA Pair (Recombinant protein)  Protocol Download  Gene Information  Entrez GeneID: 6285	
Instruction: to avoid repeated freeze thaw cycle. Reagents should be returned to - 20°C storage immediately after use.  MSDS: Download  Applications  ELISA Pair (Recombinant protein)  Gene Information  Entrez GeneID: 6285	
Applications  ELISA Pair (Recombinant protein)  Gene Information  Entrez GeneID: 6285	
ELISA Pair (Recombinant protein)  Gene Information  Entrez GeneID: 6285	
Gene Information  Entrez GeneID: 6285	
Entrez GeneID: 6285	
Gene Name: S100B	
Gene Alias: NEF,S100,S100beta	
Gene S100 calcium binding protein B  Description:	
Omim ID: <u>176990</u>	

Page 1 of 2 2016/5/21

ELISA Pair (Recombinant protein)

Gene Summary: The protein encoded by this gene is a member of the S100 family of proteins containing 2 EF-hand calcium-binding motifs. S100 proteins are localized in the cytoplasm and/or nucleus of a wide range of cells, and involved in the regulation of a number of cellular processes such as cell cycle progression and differentiation. S100 genes include at least 13 members which are located as a cluster on chromosome 1q21; however, this gene is located at 21q22.3. This protein may function in Neurite extension, proliferation of melanoma cells, stimulation of Ca2+ fluxes, inhibition of PKC-mediated phosphorylation, astrocytosis and axonal proliferation, and inhibition of microtubule assembly. Chromosomal rearrangements and altered expression of this gene have been implicated in several neurological, neoplastic, and other types of diseases, including Alzheimer's disease, Down's syndrome, epilepsy, amyotrophic lateral sclerosis, melanoma, and type I diabetes. [provided by RefSeq

#### Other Designations:

OTTHUMP00000174958,S-100 calcium-binding protein, beta chain,S100 beta,S100 calcium binding protein, beta (neural),S100 calcium-binding protein, beta, S100 calcium-binding protein, beta (neural)

#### **Related Disease**

Alzheimer disease Bipolar Disorder Cognition Disorders Dementia <u>Depressive Disorder, Major Diseases in Twins Genetic Predisposition to Disease</u> Mental Disorders Neuropsychological Tests Psychotic Disorders Schizophrenia Schizophrenia

> 服務條款 | 隱私權政策 | 著作及商標 | 網站地圖 ©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.

> > Page 2 of 2 2016/5/21