



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

VPS52 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # : H00006293-T01

規格 : [100 uL]

List All

Specification

Transfected Cell Line: 293T


Plasmid: pCMV-VPS52 full-length

Host: Human

Theoretical MW (kDa): 82.2


Quality Control Testing: Transient overexpression cell lysate was tested with Anti-VPS52 antibody (H00006293-B01) by Western Blots.

SDS-PAGE Gel



VPS52 transfected lysate.

Western Blot



Lane 1: VPS52 transfected lysate (82.2 KDa)

Lane 2: Non-transfected lysate.

Storage Buffer: 1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

Storage Instruction: Store at -80°C. Aliquot to avoid repeated freezing and thawing.

MSDS:  [Download](#)

Applications

Application Image

Western Blot

Western Blot

Gene Information

Entrez GeneID: [6293](#)

GeneBank Accession#: [NM_022553](#)

Protein Accession#: [NP_072047](#)

Gene Name: VPS52

Gene Alias: ARE1,DKFZp5471194,RP5-1033B10,SAC2,SACM2L,dJ1033B10.5

Gene Description: vacuolar protein sorting 52 homolog (S. cerevisiae)

Omim ID: [603443](#)

Gene Ontology: [Hyperlink](#)

Gene Summary: This gene encodes a protein that is similar to the yeast suppressor of actin mutations 2 gene. The yeast protein forms a subunit of the tetrameric Golgi-associated retrograde protein complex that is involved in vesicle trafficking from from both early and late endosomes, back to the trans-Golgi network. This gene is located on chromosome 6 in a head-to-head orientation with the gene encoding ribosomal protein S18. [provided by RefSeq]

Other Designations: SAC2 suppressor of actin mutations 2-like,vacuolar protein sorting 52

Related Disease

[Genetic Predisposition to Disease](#) [Lupus Erythematosus](#). [Systemic Oligospermia](#)
[Prostate cancer](#) [Prostatic Neoplasms](#)

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.