



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## MAPK12 (Human) IP-WB Antibody Pair

Catalog # : H00006300-PW1

規格 : [ 1 Set ]


[List All](#)

### Specification

**Product Description:** This IP-WB antibody pair set comes with one antibody for immunoprecipitation and another to detect the precipitated protein in western blot.

**Reactivity:** Human

**Quality Control Testing:** Immunoprecipitation-Western Blot (IP-WB)



Immunoprecipitation of MAPK12 transfected lysate using rabbit polyclonal anti-MAPK12 and Protein A Magnetic Bead ([U0007](#)), and immunoblotted with mouse polyclonal anti-MAPK12.


**Supplied Product:** Antibody pair set content:  
 1. Antibody pair for IP: rabbit polyclonal anti-MAPK12 (300 ul)  
 2. Antibody pair for WB: mouse polyclonal anti-MAPK12 (50 ul)

**Storage Instruction:** Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze thaw cycle. Reagents should be returned to -20°C storage immediately after use.

**MSDS:**  [Download](#)

### Applications

**Immunoprecipitation-Western Blot**

 [Protocol Download](#)

### Gene Information

**Entrez GeneID:** [6300](#)

**Gene Name:** MAPK12

**Gene Alias:** ERK3, ERK6, P38GAMMA, PRKM12, SAPK-3, SAPK3

**Gene Description:** mitogen-activated protein kinase 12

**Omim ID:** [602399](#)

**Gene Ontology:** [Hyperlink](#)


### Application Image

Immunoprecipitation-Western Blot

**Gene Summary:** Activation of members of the mitogen-activated protein kinase family is a major mechanism for transduction of extracellular signals. Stress-activated protein kinases are one subclass of MAP kinases. The protein encoded by this gene functions as a signal transducer during differentiation of myoblasts to myotubes. [provided by RefSeq]

**Other Designations:** mitogen-activated protein kinase 3, stress-activated protein kinase 3

### Interactome



### Gene Pathway

[Amyotrophic lateral sclerosis \(ALS\)](#) [Epithelial cell signaling in Helicobacter pylori infection](#)  
[Fc epsilon RI signaling pathway](#) [GnRH signaling pathway](#)  
[Leukocyte transendothelial migration](#) [MAPK signaling pathway](#)  
[Neurotrophin signaling pathway](#) [T cell receptor signaling pathway](#)  
[Toll-like receptor signaling pathway](#) [VEGF signaling pathway](#)

### Related Disease

[Cardiovascular Diseases](#) [Diabetes Mellitus, Type 2](#) [Edema](#)

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.