



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com



[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

SIAH1 polyclonal antibody (A01)

Catalog # : H00006477-A01

規格 : [50 uL]

List All

Specification	Application Image
Product Description: Mouse polyclonal antibody raised against a partial recombinant SIAH1.	ELISA
Immunogen: SIAH1 (NP_003022, 1 a.a. ~ 110 a.a) partial recombinant protein with GST tag.	
Sequence: MSRQTATALPTGTSKPPSQRVPALTGTTASNNDLASLFECPCFDYVL PPILQCQSGHLVCSNCRPKLTCCPTCRGPLGSIRNLAMEKVANSVLFPCCK YASSGCEITLP	
Host: Mouse	
Reactivity: Human	
Quality Control Testing: Antibody Reactive Against Recombinant Protein.	
Storage Buffer: 50 % glycerol	
Storage Instruction: Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.	
MSDS:  Download	
Datasheet:  Download	
Applications	
ELISA	
Gene Information	
Entrez GeneID: 6477	
GeneBank Accession#: NM_003031	
Protein Accession#: NP_003022	
Gene Name: SIAH1	
Gene Alias: FLJ08065,HUMSIAH,Siah-1,Siah-1a,hSIAH1	
Gene Description: seven in absentia homolog 1 (Drosophila)	
Omim ID: 602212	
Gene Ontology: Hyperlink	

Gene Summary: This gene encodes a protein that is a member of the seven in absentia homolog (SIAH) family. The protein is an E3 ligase and is involved in ubiquitination and proteasome-mediated degradation of specific proteins. The activity of this ubiquitin ligase has been implicated in the development of certain forms of Parkinson's disease, the regulation of the cellular response to hypoxia and induction of apoptosis. Alternative splicing results in several additional transcript variants, some encoding different isoforms and others that have not been fully characterized. [provided by RefSeq]

Other Designations: seven in absentia homolog 1,sonic hedgehog homolog

Gene Pathway

[p53 signaling pathway](#) [Ubiquitin mediated proteolysis](#) [Wnt signaling pathway](#)

Related Disease

[Parkinson Disease](#) [Parkinson disease](#)

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.