



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com



[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

SKP1A polyclonal antibody (A01)

Catalog # : H00006500-A01

規格 : [50 uL]

List All

Specification	Application Image
Product Description: Mouse polyclonal antibody raised against a full-length recombinant SKP1A.	ELISA
Immunogen: SKP1A (AAH25673, 1 a.a. ~ 160 a.a) full-length recombinant protein with GST tag.	
Sequence: MPSIKLQSFIDGEIFEVDVEIAKQSVTIKTMLEDLGMDDEGDDDPVPLPNV NAAILKKVIQWCTHHKDDPPPPEDDENKEKRTDDIPVWDQEFLKVDQGT L FELILAANYLDIKGLLDVTKTVANMIKGGKTPPEIRKTFNIKNDFT EEEEEAQ VGSTQFCL	
Host: Mouse	
Reactivity: Human	
Quality Control Testing: Antibody Reactive Against Recombinant Protein.	
Storage Buffer: 50 % glycerol	
Storage Instruction: Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.	
MSDS:  Download	
Datasheet:  Download	
Applications	
ELISA	
Gene Information	
Entrez GeneID: 6500	
GeneBank Accession#: BC025673	
Protein Accession#: AAH25673	
Gene Name: SKP1	
Gene Alias: EMC19,MGC34403,OCP-II,OCP2,SKP1A,TCEB1L,p19A	
Gene Description: S-phase kinase-associated protein 1	
Omim ID: 601434	
Gene Ontology: Hyperlink	

Gene Summary: This gene encodes a component of SCF complexes, which are composed of this protein, cullin 1, a ring-box protein, and one member of the F-box family of proteins. This protein binds directly to the F-box motif found in F-box proteins. SCF complexes are involved in the regulated ubiquitination of specific protein substrates, which targets them for degradation by the proteasome. Specific F-box proteins recognize different target protein(s), and many specific SCF substrates have been identified including regulators of cell cycle progression and development. Studies have also characterized the protein as an RNA polymerase II elongation factor. Alternative splicing of this gene results in two transcript variants. A related pseudogene has been identified on chromosome 7. [provided by RefSeq]

Other Designations: RNA polymerase II elongation factor-like protein OCP2,cyclin A/CDK2-associated p19,organ of Corti protein 2,transcription elongation factor B (SIII), polypeptide 1-like

Gene Pathway

[Cell cycle](#) [TGF-beta signaling pathway](#) [Ubiquitin mediated proteolysis](#)
[Wnt signaling pathway](#)

Related Disease

[Tobacco Use Disorder](#)

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.