

# Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



#### Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

#### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in





## SMN2 polyclonal antibody (A01)

**Catalog #**: H00006607-A01 規格:[50 uL]

#### List All

Specification		Application Image
Product Description:	Mouse polyclonal antibody raised against a partial recombinant SMN2.	Western Blot (Recombinant protein)
Immunogen:	SMN2 (NP_059107, 191 a.a. ~ 294 a.a) partial recombinant protein with GST tag.	ELISA
Sequence:	NSFLPPPPMPGPRLGPGKPGLKFNGPPPPPPPPPHLLSCWLPPFPS GPPIIPPPPPICPDSLDDADALGSMLISWYMSGYHTGYYMGFRQNQKEG RCSHSLN	
Host:	Mouse	
Reactivity:	Human	
Quality Control Testing:	Antibody Reactive Against Recombinant Protein.  175 – 83 – 62 – 47.5 – 32.5 – 25 – 16.5 – 6.5 – Western Blot detection against Immunogen (37.55 KDa) .	
Storage Buffer:	50 % glycerol	
Storage Instruction:	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.	
MSDS:	<u>Download</u>	
Datasheet:	<u>Download</u>	
Applications		
Western Blot (R	Recombinant protein)	
ELISA		
Gene Information	on	
Entrez GenelD:	6607	
GeneBank Accession#:	<u>NM_017411</u>	

Page 1 of 2 2016/5/22

Protein

NP 059107

Accession#

Gene Name:

SMN2

Gene Alias:

BCD541,C-BCD541,FLJ76644,MGC20996,MGC5208,SMNC

Gene

survival of motor neuron 2, centromeric

**Description:** 

601627 Omim ID:

Gene Ontology: Hyperlink

Gene Summary: This gene is part of a 500 kb inverted duplication on chromosome 5q13. This duplicated region contains at least four genes and repetitive elements which make it prone to rearrangements and deletions. The repetitiveness and complexity of the sequence have also caused difficulty in determining the organization of this genomic region. The telomeric and centromeric copies of this gene are nearly identical and encode the same protein. While mutations in the telomeric copy are associated with spinal muscular atrophy, mutations in this gene, the centromeric copy, do not lead to disease. This gene may be a modifier of disease caused by mutation in the telomeric copy. The critical sequence difference between the two genes is a single nucleotide in exon 7, which is thought to be an exon splice enhancer. Note that the nine exons of both the telomeric and centromeric copies are designated historically as exon 1, 2a, 2b, and 3-8. It is thought that gene conversion events may involve the two genes, leading to varying copy numbers of each gene. The full length protein encoded by this gene localizes to both the cytoplasm and the nucleus. Within the nucleus, the protein localizes to subnuclear bodies called gems which are found near coiled bodies containing high concentrations of small ribonucleoproteins (snRNPs). This protein forms heteromeric complexes with proteins such as SIP1 and GEMIN4, and also interacts with several proteins known to be involved in the biogenesis of snRNPs, such as hnRNP U protein and the small nucleolar RNA binding protein. Four transcript variants encoding distinct isoforms have been described. [provided by RefSeq

Other Designations: OTTHUMP00000125236,OTTHUMP00000125237,gemin 1

#### **Related Disease**

Amyotrophic Lateral Sclerosis Amyotrophic lateral sclerosis Disease Progression Genetic Predisposition to Disease Muscular Atrophy, Spinal Nerve Degeneration Spinal Muscular Atrophies of Childhood Spinal muscular atrophy

服務條款 | 隱私權政策 | 著作及商標 | 網站地圖

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.

Page 2 of 2 2016/5/22