



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

SNX1 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # : H00006642-T02

規格 : [100 uL]

[List All](#)

Specification

Transfected Cell Line: 293T


Plasmid: pCMV-SNX1 full-length

Host: Human

Theoretical MW (kDa): 57.53

Quality Control Testing: Transient overexpression cell lysate was tested with Anti-SNX1 antibody (H00006642-B02) by Western Blots.


Western Blot



Lane 1: SNX1 transfected lysate (57.42 KDa)

Lane 2: Non-transfected lysate.

SDS-PAGE Gel



SNX1 transfected lysate.

Storage Buffer: 1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

Storage Instruction: Store at -80°C. Aliquot to avoid repeated freezing and thawing.

MSDS:  [Download](#)

Applications

Application Image

Western Blot

Western Blot

Gene Information

Entrez GeneID: [6642](#)

GeneBank
Accession#: [BC000357](#)

Protein
Accession#: [AAH00357](#)

Gene Name: SNX1

Gene Alias: HsT17379,MGC8664,SNX1A,Vps5

Gene
Description: sorting nexin 1

Omim ID: [601272](#)

Gene Ontology: [Hyperlink](#)

Gene Summary: This gene encodes a member of the sorting nexin family. Members of this family contain a phox (PX) domain, which is a phosphoinositide binding domain, and are involved in intracellular trafficking. This endosomal protein regulates the cell-surface expression of epidermal growth factor receptor. This protein also has a role in sorting protease-activated receptor-1 from early endosomes to lysosomes. This protein may form oligomeric complexes with family members. This gene results in three transcript variants encoding distinct isoforms. [provided by RefSeq]

Other
Designations: sorting nexin 1A