



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Datasheet

SSR3 (Human) Recombinant Protein (P01)

Catalog Number: H00006747-P01

Regulation Status: For research use only (RUO)

Product Description: Human SSR3 full-length ORF (AAH17203, 1 a.a. - 185 a.a.) recombinant protein with GST-tag at N-terminal.

Sequence:

MAPKGSSKQQSEEDLLLQDFSRNLSAKSSALFFGNAFI
VSAIPIWLYRRIWHMDLIQSAVLYSVMTLVSTYLVAFAY
KNVKFVLKHKVAQKREDAVSKEVTRKLSEADNRKMSR
KEKDERILWKKNEVADYEATTFSIFYNNTLFLVVIVAS
FFILKNFNPTVNYILSISASSGLIALLSTGSK

Host: Wheat Germ (in vitro)

Theoretical MW (kDa): 46.09

Applications: AP, Array, ELISA, WB-Re
(See our web site product page for detailed applications information)

Protocols: See our web site at
<http://www.abnova.com/support/protocols.asp> or product page for detailed protocols

Preparation Method: [in vitro wheat germ expression system](#)

Purification: Glutathione Sepharose 4 Fast Flow

Storage Buffer: 50 mM Tris-HCl, 10 mM reduced Glutathione, pH=8.0 in the elution buffer.

Storage Instruction: Store at -80°C. Aliquot to avoid repeated freezing and thawing.

Entrez GeneID: 6747

Gene Symbol: SSR3

Gene Alias: TRAPG

Gene Summary: The signal sequence receptor (SSR) is a glycosylated endoplasmic reticulum (ER) membrane receptor associated with protein translocation across the

ER membrane. The SSR is comprised of four membrane proteins/subunits: alpha, beta, gamma, and delta. The first two are glycosylated subunits and the latter two are non-glycosylated subunits. The protein encoded by this gene is the gamma subunit and is predicted to span the membrane four times. [provided by RefSeq]