



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## STCH 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # : H00006782-T02

規格 : [ 100 uL ]

List All

### Specification

**Transfected Cell Line:** 293T


**Plasmid:** pCMV-STCH full-length

**Host:** Human

**Theoretical MW (kDa):** 51.9


**Quality Control Testing:** Transient overexpression cell lysate was tested with Anti-STCH antibody (H00006782-D01P) by Western Blots.

#### SDS-PAGE Gel



STCH transfected lysate.

#### Western Blot



Lane 1: STCH transfected lysate ( 51.90 KDa)

Lane 2: Non-transfected lysate.

**Storage Buffer:** 1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

**Storage Instruction:** Store at -80°C. Aliquot to avoid repeated freezing and thawing.

**MSDS:**  [Download](#)

### Applications

## Western Blot

### Gene Information

Entrez GeneID: [6782](#)

GeneBank Accession#: [NM\\_006948](#)

Protein Accession#: [NP\\_008879.3](#)

Gene Name: HSPA13

Gene Alias: STCH

Gene Description: heat shock protein 70kDa family, member 13

Omim ID: [601100](#)

Gene Ontology: [Hyperlink](#)

**Gene Summary:** The protein encoded by this gene is a member of the heat shock protein 70 family and is found associated with microsomes. Members of this protein family play a role in the processing of cytosolic and secretory proteins, as well as in the removal of denatured or incorrectly-folded proteins. The encoded protein contains an ATPase domain and has been shown to associate with a ubiquitin-like protein. [provided by RefSeq]

**Other Designations:** heat shock protein 70kDa family member 13,microsomal stress 70 protein ATPase core,stress 70 protein chaperone, microsome-associated, 60kD,stress 70 protein chaperone, microsome-associated, 60kDa

### Related Disease

[Genetic Predisposition to Disease Obesity Stomach Neoplasms](#)

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.