



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com



[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

HDAC6 polyclonal antibody (A01)

Catalog # : H00010013-A01

規格 : [50 uL]

List All

Specification	Application Image
Product Description: Mouse polyclonal antibody raised against a partial recombinant HDAC6.	ELISA
Immunogen: HDAC6 (NP_006035, 1128 a.a. ~ 1215 a.a) partial recombinant protein with GST tag.	
Sequence: DVTQPCGDCGTIQENWVCLSCYQVYCGRYINGHMLQHHGNSGHPLVLS YIDLSAWCYQCAYVHHQALLDVKNIAHQNKFGEDMPHPH	
Host: Mouse	
Reactivity: Human	
Quality Control Testing: Antibody Reactive Against Recombinant Protein.	
Storage Buffer: 50 % glycerol	
Storage Instruction: Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.	
MSDS:  Download	
Datasheet:  Download	
Publication Reference	
1. Vorinostat-Induced Apoptosis in Mantle Cell Lymphoma Is Mediated by Acetylation of Proapoptotic BH3-Only Gene Promoters. Xargay-Torrent S, Lopez-Guerra M, Saborit-Villarroya I, Rosich L, Campo E, Roue G, Colomer D. Clin Cancer Res. 2011 Jun 15;17(12):3956-68. Epub 2011 Jun 7.	
Applications	
ELISA	
Gene Information	
Entrez GeneID: 10013	
GeneBank Accession#: NM_006044	
Protein Accession#: NP_006035	
Gene Name: HDAC6	
Gene Alias: FLJ16239,HD6,JM21	
Gene Description: histone deacetylase 6	

Omim ID: [300272](#)

Gene Ontology: [Hyperlink](#)

Gene Summary: Histones play a critical role in transcriptional regulation, cell cycle progression, and developmental events. Histone acetylation/deacetylation alters chromosome structure and affects transcription factor access to DNA. The protein encoded by this gene belongs to class II of the histone deacetylase/acuc/apha family. It contains an internal duplication of two catalytic domains which appear to function independently of each other. This protein possesses histone deacetylase activity and represses transcription. [provided by RefSeq]

Other Designations: OTTHUMP00000032398

Related Disease

[Cardiovascular Diseases](#) [Diabetes Mellitus, Type 2](#) [Edema](#) [Parkinson Disease](#)
[Parkinson disease](#)

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.