



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

PARP3 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # : H00010039-T01

規格 : [100 uL]

[List All](#)

Specification

Transfected Cell Line: 293T


Plasmid: pCMV-PARP3 full-length

Host: Human

Theoretical MW (kDa): 60.1


Quality Control Testing: Transient overexpression cell lysate was tested with Anti-PARP3 antibody ([H00010039-B01](#)) by Western Blots.

SDS-PAGE Gel



PARP3 transfected lysate.

Western Blot



Lane 1: PARP3 transfected lysate (60.1 KDa)

Lane 2: Non-transfected lysate.

Storage Buffer: 1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

Storage Instruction: Store at -80°C. Aliquot to avoid repeated freezing and thawing.

MSDS:  [Download](#)

Applications

Application Image

Western Blot

Western Blot

Gene Information

Entrez GeneID: [10039](#)

GeneBank [BC014260](#)
Accession#:

Protein [AAH14260](#)
Accession#:

Gene Name: PARP3

Gene Alias: ADPRT3,ADPRTL2,ADPRTL3,IRT1,hPARP-3,pADPRT-3

Gene Description: poly (ADP-ribose) polymerase family, member 3

Omim ID: [607726](#)

Gene Ontology: [Hyperlink](#)

Gene Summary: The protein encoded by this gene belongs to the PARP family. These enzymes modify nuclear proteins by poly-ADP-ribosylation, which is required for DNA repair, regulation of apoptosis, and maintenance of genomic stability. This gene encodes the poly(ADP-ribosyl)transferase 3, which is preferentially localized to the daughter centriole throughout the cell cycle. Alternatively spliced transcript variants encoding different isoforms have been identified. [provided by RefSeq]

Other Designations: ADP-ribosyltransferase (NAD+; poly (ADP-ribose) polymerase)-like 2,ADP-ribosyltransferase (NAD+; poly (ADP-ribose) polymerase)-like 3,NAD+ ADP-ribosyltransferase 3,poly(ADP-ribose) polymerase 3,poly(ADP-ribose) synthetase-3

Gene Pathway

[Base excision repair](#)

Related Disease

[Cardiovascular Diseases](#) [Diabetes Mellitus, Type 2](#) [DNA Damage](#) [Edema](#)
[Genetic Predisposition to Disease](#) [Kidney Failure](#), [Chronic Urinary Bladder Neoplasms](#)

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.