



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

DNAJB6 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # : H00010049-T01

規格 : [100 uL]

[List All](#)

Specification

Transfected Cell Line: 293T


Plasmid: pCMV-DNAJB6 full-length

Host: Human

Theoretical MW (kDa): 35.97


Quality Control Testing: Transient overexpression cell lysate was tested with Anti-DNAJB6 antibody ([H00010049-B01](#)) by Western Blots.

SDS-PAGE Gel



DNAJB6 transfected lysate.

Western Blot



Lane 1: DNAJB6 transfected lysate (35.97 KDa)

Lane 2: Non-transfected lysate.

Storage Buffer: 1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

Storage Instruction: Store at -80°C. Aliquot to avoid repeated freezing and thawing.

MSDS:  [Download](#)

Applications

Application Image

Western Blot

Western Blot

Gene Information

Entrez GeneID: [10049](#)

**GeneBank
Accession#:** [NM_058246.3](#)

**Protein
Accession#:** [NP_490647.1](#)

Gene Name: DNAJB6

Gene Alias: DJ4,DKFZp566D0824,DnaJ,FLJ42837,HHDJ1,HSJ-2,HSJ2,MGC1152,MGC117297,MRJ,MSJ-1

**Gene
Description:** DnaJ (Hsp40) homolog, subfamily B, member 6

Omim ID: [611332](#)

Gene Ontology: [Hyperlink](#)

Gene Summary: This gene encodes a member of the DNAJ protein family. DNAJ family members are characterized by a highly conserved amino acid stretch called the 'J-domain' and function as one of the two major classes of molecular chaperones involved in a wide range of cellular events, such as protein folding and oligomeric protein complex assembly. This family member may also play a role in polyglutamine aggregation in specific neurons. Alternative splicing of this gene results in multiple transcript variants; however, not all variants have been fully described. [provided by RefSeq]

**Other
Designations:** DnaJ-like 2 protein,heat shock protein J2