



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

FARSLB polyclonal antibody (A02)

Catalog # : H00010056-A02

規格 : [50 uL]

List All

Specification

Product Description: Mouse polyclonal antibody raised against a partial recombinant FARSLB.


Immunogen: FARSLB (NP_005678, 234 a.a. ~ 341 a.a) partial recombinant protein with GST tag.

Sequence: PPIINGDHSRITVNRNFIIECTGTDFTKAKIVLDIIVTFSEYCEINQFTVEAA
EWWFNGKSHTFPELAYRKEMVRADLINKKVGIRETPENLAKLLTRMYLKS
EVI

Host: Mouse

Reactivity: Human

Quality Control Testing: Antibody Reactive Against Recombinant Protein.



Western Blot detection against Immunogen (37.99 KDa) .

Storage Buffer: 50 % glycerol

Storage Instruction: Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

MSDS: [Download](#)

Datasheet: [Download](#)

Applications

Western Blot (Recombinant protein)

[Protocol Download](#)

ELISA

Gene Information

Entrez GeneID: [10056](#)

GeneBank Accession#: [NM_005687](#)

Application Image

Western Blot (Recombinant protein)

ELISA

Protein Accession#: [NP_005678](#)

Gene Name: FARSB

Gene Alias: FARSLB,FRSB,HSPC173,PheHB,PheRS

Gene Description: phenylalanyl-tRNA synthetase, beta subunit

Omim ID: [609690](#)

Gene Ontology: [Hyperlink](#)

Gene Summary: This gene encodes a highly conserved enzyme that belongs to the aminoacyl-tRNA synthetase class IIc subfamily. This enzyme comprises the regulatory beta subunits that form a tetramer with two catalytic alpha subunits. In the presence of ATP, this tetramer is responsible for attaching L-phenylalanine to the terminal adenosine of the appropriate tRNA. A pseudogene located on chromosome 10 has been identified. [provided by RefSeq]

Other Designations: phenylalanine tRNA ligase 1, beta, cytoplasmic,phenylalanine-tRNA ligase beta chain,phenylalanine-tRNA synthetase-like, beta subunit,phenylalanyl-tRNA synthetase beta-subunit,phenylalanyl-tRNA synthetase-like, beta subunit

Gene Pathway

[Aminoacyl-tRNA biosynthesis](#)

Related Disease

[Tobacco Use Disorder](#)

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.