



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

ABCF2 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # : H00010061-T01

規格 : [100 uL]

[List All](#)

Specification

Transfected Cell Line: 293T


Plasmid: pCMV-ABCF2 full-length

Host: Human

Theoretical MW (kDa): 68.64


Quality Control Testing: Transient overexpression cell lysate was tested with Anti-ABCF2 antibody ([H00010061-B01](#)) by Western Blots.

Western Blot



Lane 1: ABCF2 transfected lysate (71.3 KDa)
Lane 2: Non-transfected lysate.

SDS-PAGE Gel



ABCF2 transfected lysate.

Storage Buffer: 1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

Storage Instruction: Store at -80°C. Aliquot to avoid repeated freezing and thawing.

MSDS:  [Download](#)

Applications

Application Image

Western Blot

Western Blot

Gene Information

Entrez GeneID: [10061](#)

**GeneBank
Accession#:** [NM_007189](#)

**Protein
Accession#:** [NP_009120](#)

Gene Name: ABCF2

Gene Alias: ABC28,DKFZp586K1823,EST133090,HUSSY-18,HUSSY18,M-ABC1

**Gene
Description:** ATP-binding cassette, sub-family F (GCN20), member 2

Gene Ontology: [Hyperlink](#)

Gene Summary: The protein encoded by this gene is a member of the superfamily of ATP-binding cassette (ABC) transporters. ABC proteins transport various molecules across extra- and intracellular membranes. ABC genes are divided into seven distinct subfamilies (ABC1, MDR/TAP, MRP, ALD, OABP, GCN20, and White). This protein is a member of the GCN20 subfamily. Alternative splicing of this gene results in multiple transcript variants. [provided by RefSeq]

**Other
Designations:** ABC-type transport protein,ATP-binding cassette, sub-family F, member 2,Iron inhibited ABC transporter 2

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.