



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

BCAP31 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # : H00010134-T01

規格 : [100 uL]

List All

Specification

Transfected Cell Line: 293T


Plasmid: pCMV-BCAP31 full-length

Host: Human

Theoretical MW (kDa): 27.17

Quality Control Testing: Transient overexpression cell lysate was tested with Anti-BCAP31 antibody (H00010134-B01) by Western Blots.


Western Blot



Lane 1: BCAP31 transfected lysate (28 KDa)

Lane 2: Non-transfected lysate.

SDS-PAGE Gel



BCAP31 transfected lysate.

Storage Buffer: 1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

Storage Instruction: Store at -80°C. Aliquot to avoid repeated freezing and thawing.

MSDS:  [Download](#)

Applications

Application Image

Western Blot

Western Blot

Gene Information

Entrez GeneID: [10134](#)

GeneBank Accession#: [NM_005745](#)

Protein Accession#: [NP_005736](#)

Gene Name: BCAP31

Gene Alias: 6C6-AG,BAP31,CDM,DXS1357E

Gene Description: B-cell receptor-associated protein 31

Omim ID: [300398](#)

Gene Ontology: [Hyperlink](#)

Gene Summary: This gene encodes a member of the B-cell receptor associated protein 31 superfamily. The encoded protein is a multi-pass transmembrane protein of the endoplasmic reticulum that is involved in the anterograde transport of membrane proteins from the endoplasmic reticulum to the Golgi and in the caspase 8-mediated apoptosis. Microdeletions in this gene are associated with the contiguous ABCD1/DXS1375E deletion syndrome. Two pseudogenes have been identified on chromosome 16. Alternatively spliced transcript variants encoding distinct isoforms have been described although the biological validity of some of the variants has not been determined. [provided by RefSeq]

Other Designations: 6C6 antigen,BCR-associated protein
Bap31,OTTHUMP00000025977,OTTHUMP00000025978,p28 Bap31

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.