



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

EBI3 polyclonal antibody (A01)

Catalog # : H00010148-A01

規格 : [50 uL]

List All

Specification


Product Description:	Mouse polyclonal antibody raised against a full-length recombinant EBI3.
Immunogen:	EBI3 (AAH15364.1, 1 a.a. ~ 229 a.a) full-length recombinant protein with GST tag.
Sequence:	MTPQLLLALVLWASCPPCSGRKGPPAALTLPVQCASRYPIAVDCSW TLPPAPNSTSPVSFIATYRLGMAARGHSWPCLQQTPTSTSCITDVQLF SMAPYVLNVTAVHPWGSSSFVPFITEHIKDPPEGVRLSPLAERQLQV QWEPGSGWPFPEIFSLKYWIRYKRQGAARFHRVGPPEATSFILRAVRPRA RYYVQVAAQDLTDYGELSDWSPATATMSLGK
Host:	Mouse
Reactivity:	Human

Application Image

Western Blot (Recombinant protein)

ELISA

Quality Control Testing: Antibody Reactive Against Recombinant Protein.



Western Blot detection against Immunogen (51.3 KDa) .

Storage Buffer: 50 % glycerol

Storage Instruction: Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

MSDS: [Download](#)

Datasheet: [Download](#)

Applications

Western Blot (Recombinant protein)

[Protocol Download](#)

ELISA

Gene Information

Entrez GeneID: [10148](#)

GeneBank [BC015364](#)
Accession#:

Protein [AAH15364.1](#)
Accession#:

Gene Name: EBI3

Gene Alias: IL27B

Gene Epstein-Barr virus induced 3
Description:

Omim ID: [605816](#)

Gene Ontology: [Hyperlink](#)

Gene Summary: This gene was identified by its induced expression in B lymphocytes in response Epstein-Barr virus infection. It encodes a secreted glycoprotein belonging to the hematopoietin receptor family, and heterodimerizes with a 28 kDa protein to form interleukin 27 (IL-27). IL-27 regulates T cell and inflammatory responses, in part by activating the Jak/STAT pathway of CD4+ T cells. [provided by RefSeq]

Other Epstein-Barr virus induced gene 3,cytokine receptor,interleukin-27
Designations: subunit beta

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.