



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

TRIM28 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # : H00010155-T02

規格 : [100 uL]

List All

Specification

Transfected Cell Line: 293T


Plasmid: pCMV-TRIM28 full-length

Host: Human

Theoretical MW (kDa): 88.5


Quality Control Testing: Transient overexpression cell lysate was tested with Anti-TRIM28 antibody (H00010155-B01P) by Western Blots.

SDS-PAGE Gel



TRIM28 transfected lysate.

Western Blot



Lane 1: TRIM28 transfected lysate (88.50 KDa)

Lane 2: Non-transfected lysate.

Storage Buffer: 1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

Storage Instruction: Store at -80°C. Aliquot to avoid repeated freezing and thawing.

MSDS:  [Download](#)

Applications

Western Blot

Gene Information

Entrez GeneID: [10155](#)

**GeneBank
Accession#:** [NM_005762.2](#)

**Protein
Accession#:** [NP_005753.1](#)

Gene Name: TRIM28

Gene Alias: FLJ29029,KAP1,RNF96,TF1B,TIF1B

**Gene
Description:** tripartite motif-containing 28

Omim ID: [601742](#)

Gene Ontology: [Hyperlink](#)

Gene Summary: The protein encoded by this gene mediates transcriptional control by interaction with the Kruppel-associated box repression domain found in many transcription factors. The protein localizes to the nucleus and is thought to associate with specific chromatin regions. The protein is a member of the tripartite motif family. This tripartite motif includes three zinc-binding domains, a RING, a B-box type 1 and a B-box type 2, and a coiled-coil region. [provided by RefSeq]

**Other
Designations:** KRAB-associated protein 1,nuclear corepressor KAP-1,transcriptional intermediary factor 1-beta,tripartite motif-containing 28 protein

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.