



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 



TNK2 purified MaxPab mouse polyclonal antibody (B01P) MaxPab®

Catalog # : H00010188-B01P

規格 : [50 ug]


[List All](#)

Specification

Product Description:	Mouse polyclonal antibody raised against a full-length human TNK2 protein.
Immunogen:	TNK2 (AAH08884.1, 1 a.a. ~ 352 a.a) full-length human protein.
Sequence:	MQPEEGTGWLLELLSEVQLQQYFLRLRDDLNVTRLSHFYEVKNEDELEKI GMGRPGQRRLEAVKRRKALCKRKSWMSKVFSGKRLEAEFPPHHSQS TFRKTSPAPGGPAGEGLQSLTCLIGEKDLRLEKLGDSFVWRRGE WDAPSGKTVSVAVKCLKPDVLSQPEAMDDFIREVNAMHSLDHRNLIRLY GVVLTTPPMKMVTELAPLGSLDRLRKHQGHFLLGTLSTRYAVQVAEGMG YLESKRFIHRDLAARNLLLATRDLVKIGDFGLMRALPQNDHVMQEHRK VPFAWCAPESLKPWRDISASSSTQFPHAVPCFPTSLAKLLLRHSVPAS SREIKLVSILC
Host:	Mouse
Reactivity:	Human
Quality Control Testing:	Antibody reactive against mammalian transfected lysate.
Storage Buffer:	In 1x PBS, pH 7.4
Storage Instruction:	Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.
MSDS:	 Download
Datasheet:	 Download


Application Image

Western Blot (Transfected lysate)



Applications

Western Blot (Transfected lysate)



Western Blot analysis of TNK2 expression in transfected 293T cell line ([H00010188-T01](#)) by TNK2 MaxPab polyclonal antibody.

Lane 1: TNK2 transfected lysate(38.72 KDa).

Lane 2: Non-transfected lysate.

 [Protocol Download](#)

Gene Information

Entrez GeneID: [10188](#)

**GeneBank
Accession#:** [BC008884.2](#)

**Protein
Accession#:** [AAH08884.1](#)

Gene Name: TNK2

Gene Alias: ACK,ACK1,FLJ44758,FLJ45547,p21cdc42Hs

**Gene
Description:** tyrosine kinase, non-receptor, 2

Omim ID: [606994](#)

Gene Ontology: [Hyperlink](#)

Gene Summary: This gene encodes a tyrosine kinase that binds Cdc42Hs in its GTP-bound form and inhibits both the intrinsic and GTPase-activating protein (GAP)-stimulated GTPase activity of Cdc42Hs. This binding is mediated by a unique sequence of 47 amino acids C-terminal to an SH3 domain. The protein may be involved in a regulatory mechanism that sustains the GTP-bound active form of Cdc42Hs and which is directly linked to a tyrosine phosphorylation signal transduction pathway. Several alternatively spliced transcript variants have been identified from this gene, but the full-length nature of only two transcript variants has been determined. [provided by RefSeq]

**Other
Designations:** activated Cdc42-associated kinase 1,activated p21cdc42Hs kinase

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.