



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

RNF41 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # : H00010193-T01

規格 : [100 uL]

List All

Specification

Transfected Cell Line: 293T


Plasmid: pCMV-RNF41 full-length

Host: Human

Theoretical MW (kDa): 34.98


Quality Control Testing: Transient overexpression cell lysate was tested with Anti-RNF41 antibody ([H00010193-B01](#)) by Western Blots.

SDS-PAGE Gel



RNF41 transfected lysate.

Western Blot



Lane 1: RNF41 transfected lysate (34.98 KDa)

Lane 2: Non-transfected lysate.

Storage Buffer: 1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

Storage Instruction: Store at -80°C. Aliquot to avoid repeated freezing and thawing.

MSDS:  [Download](#)

Applications

Application Image

Western Blot

Western Blot

Gene Information

Entrez GeneID: [10193](#)

**GeneBank
Accession#:** [NM_005785.2](#)

**Protein
Accession#:** [NP_005776.1](#)

Gene Name: RNF41

Gene Alias: MGC45228,NRDP1,SBBI03

**Gene
Description:** ring finger protein 41

Gene Ontology: [Hyperlink](#)

Gene Summary: The protein encoded by this gene contains a RING finger, a motif present in a variety of functionally distinct proteins and known to be involved in protein-protein and protein-DNA interactions. The specific function of this protein has not yet been determined. Three alternatively spliced transcript variants encoding two distinct isoforms have been reported. [provided by RefSeq]

**Other
Designations:** neuregulin receptor degradation protein-1

Gene Pathway

[Endocytosis](#)

Related Disease

[Genetic Predisposition to Disease Parkinson Disease](#)