



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## CD96 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # : H00010225-T02

規格 : [ 100 uL ]

[List All](#)

### Specification

**Transfected Cell Line:** 293T


**Plasmid:** pCMV-CD96 full-length

**Host:** Human

**Theoretical MW (kDa):** 45.6


**Quality Control Testing:** Transient overexpression cell lysate was tested with Anti-CD96 antibody (H00010225-D01P) by Western Blots.

#### SDS-PAGE Gel



CD96 transfected lysate.

#### Western Blot



Lane 1: CD96 transfected lysate ( 45.60 KDa)

Lane 2: Non-transfected lysate.

**Storage Buffer:** 1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

**Storage Instruction:** Store at -80°C. Aliquot to avoid repeated freezing and thawing.

**MSDS:**  [Download](#)

### Applications

## Western Blot

### Gene Information

**Entrez GeneID:** [10225](#)

**GeneBank  
Accession#:** [BC020749.1](#)

**Protein  
Accession#:** [AAH20749.1](#)

**Gene Name:** CD96

**Gene Alias:** DKFZp667E2122,MGC22596,TACTILE

**Gene  
Description:** CD96 molecule

**Omim ID:** [211750](#), [605039](#), [606037](#)

**Gene Ontology:** [Hyperlink](#)

**Gene Summary:** The protein encoded by this gene belongs to the immunoglobulin superfamily. It is a type I membrane protein. The protein may play a role in the adhesive interactions of activated T and NK cells during the late phase of the immune response. It may also function in antigen presentation. Alternative splicing occurs at this locus and two transcript variants encoding distinct isoforms have been identified. [provided by RefSeq]

**Other  
Designations:** CD96 antigen,T cell activation, increased late expression,T-cell surface protein tactile

### Related Disease

[Abnormalities](#), [Multiple Craniofacial Abnormalities Syndrome](#) [Translocation](#), [Genetic](#)

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.