



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

CALCOCO2 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # : H00010241-T01

規格 : [100 uL]

List All

Specification

Transfected Cell Line: 293T


Plasmid: pCMV-CALCOCO2 full-length

Host: Human

Theoretical MW (kDa): 49.17

Quality Control Testing: Transient overexpression cell lysate was tested with Anti-CALCOCO2 antibody (H00010241-B01) by Western Blots.


Western Blot



Lane 1: CALCOCO2 transfected lysate (52.3 KDa)

Lane 2: Non-transfected lysate.

SDS-PAGE Gel



CALCOCO2 transfected lysate.

Storage Buffer: 1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

Storage Instruction: Store at -80°C. Aliquot to avoid repeated freezing and thawing.

MSDS:  [Download](#)

Applications

Application Image

Western Blot

Western Blot

Gene Information

Entrez GeneID: [10241](#)

GeneBank Accession#: [NM_005831.3](#)

Protein Accession#: =

Gene Name: [CALCOCO2](#)

Gene Alias: [MGC17318,NDP52](#)

Gene Description: calcium binding and coiled-coil domain 2

Omim ID: [604587](#)

Gene Ontology: [Hyperlink](#)

Gene Summary: The protein encoded by this gene is a subunit of nuclear domain 10 (ND10) bodies. ND10 bodies are nuclear domains appearing immunohistochemically as ten dots per nucleus. They are believed to be associated with the nuclear matrix on the basis of their resistance to nuclease digestion and salt extraction. ND10 proteins are removed from the nucleus by herpes simplex virus-1 infection and may have a role in viral life cycles. [provided by RefSeq]

Other Designations: nuclear domain 10 protein

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.