



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

STAM2 293T Cell Transient Overexpression Lysate(Denatured)

Catalog # : H00010254-T02

規格 : [100 uL]

List All

Specification

Transfected Cell Line: 293T


Plasmid: pCMV-STAM2 full-length

Host: Human

Theoretical MW (kDa): 58.2


Quality Control Testing: Transient overexpression cell lysate was tested with Anti-STAM2 antibody (H00010254-D01P) by Western Blots.

SDS-PAGE Gel



STAM2 transfected lysate.

Western Blot



Lane 1: STAM2 transfected lysate (58.20 KDa)

Lane 2: Non-transfected lysate.

Storage Buffer: 1X Sample Buffer (50 mM Tris-HCl, 2% SDS, 10% glycerol, 300 mM 2-mercaptoethanol, 0.01% Bromophenol blue)

Storage Instruction: Store at -80°C. Aliquot to avoid repeated freezing and thawing.

MSDS:  [Download](#)

Applications

Application Image

Western Blot

Western Blot

Gene Information

Entrez GeneID: [10254](#)

GeneBank Accession#: [BC028740.2](#)

Protein Accession#: [AAH28740.1](#)

Gene Name: STAM2

Gene Alias: DKFZp564C047,Hbp,STAM2A,STAM2B

Gene Description: signal transducing adaptor molecule (SH3 domain and ITAM motif) 2

Omim ID: [606244](#)

Gene Ontology: [Hyperlink](#)

Gene Summary: The protein encoded by this gene is closely related to STAM, an adaptor protein involved in the downstream signaling of cytokine receptors, both of which contain a SH3 domain and the immunoreceptor tyrosine-based activation motif (ITAM). Similar to STAM, this protein acts downstream of JAK kinases, and is phosphorylated in response to cytokine stimulation. This protein and STAM thus are thought to exhibit compensatory effects on the signaling pathway downstream of JAK kinases upon cytokine stimulation. [provided by RefSeq]

Other Designations: Hrs-binding protein,STAM-like protein containing SH3 and ITAM domains 2,signal transducing adaptor molecule 2

Gene Pathway

[Endocytosis Jak-STAT signaling pathway](#)

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.